

## 2024 Product Catalog

*Committed to serving the men  
and women who serve their  
communities as Firefighters and  
First Responders*



# GREAT PLAINS FIRE

**...when quality of service counts**

### **Management and Sales**

**Philip Isaacson**

**Phone:** 218.770.8669

**E-mail:** philisaacson@greatplainsfire.com

### **Sales NW MN, ND, SD**

**John Nienaber**

**Phone:** 320.460.0520

**E-mail:** johnnienaber@greatplainsfire.com

### **Sales Eastern MN and Metro**

**Adam Zimmerman**

**Phone:** 507.458.3161

**E-mail:** adamzimmerman@greatplainsfire.com

### **Mobile Service**

**Craig Goodman**

**Phone:** 218.849.2730

**E-mail:** craiggoodman@greatplainsfire.com

Contact **Great Plains Fire** for available stock units.

- Ladders & Platforms
- Custom & Commercial Pumpers
- Custom Enclosed Top Mount Pumpers
- Custom & Commercial Tankers
- Custom & Commercial Rescues
- Wildland & Urban Interface Pumpers





Choose your options. Make it yours.

# Equalizer Series Pumper



## STANDARD FEATURES:

- Heavy Duty 14 gauge 304, #4 finish stainless steel body with 26" deep compartments
- Stainless Steel Sub frame
- ROM Roll Up Doors
- 650, 750, 1000, or 1250 Gallon Poly Tank
- 1250-1500 GPM Pump (Hale, Waterous, or Darley)
- Top Mount or Side Control Pump operator's panel
- Two (2) 2 ½" Discharges, one (1) each side
- Two (2) 3" Discharges, one (1) rear and one (1) deck gun over pump
- Two (2) 1 ½" Crosslay preconnect module, behind chassis cab
- One (1) 2 ½" Gated Suction, left side
- Ladder storage through tank with rear access
- Hypalon Hose bed and preconnect covers
- One (1) AFE stainless steel top access ladder, rear mounted
- Whelen or Code 3 LED Warning Light Package
- Whelen or Code 3 Electronic Siren with 100-watt speaker
- Diamond Grade Chevron pattern striping, rear

## AVAILABLE OPTIONS:

- 1500 GPM Pump
- 1250 GPM PTO Pump
- Heated Pump Enclosure
- Foam System
- Front Suction
- Right Side LDH Discharge
- Bumper Preconnect
- Booster Reel
- Heavy Duty .190" Aluminum Body with Galvanized Steel Subframe
- Front Turret (available on PTO Application or Mobile Pump option)
- Wheel Well Air Bottle Compartments
- Shelves and trays in compartments
- HIVIZ LED Scene Lighting
- 120 Volt Electrical System (Hydraulic or Portable Generator)
- Varying Preconnect Options
- Painted Roll Up Doors





# GREAT PLAINS FIRE

...when quality of service counts

## CUSTOM BUILT APPARATUS



MN DNR surplus units can be transformed into highly functional apparatus for all fire departments and save you money.

Contact the MN DNR surplus officer and your **Great Plains FIRE** representative today to help you get your next apparatus in your hall.







## GREAT PLAINS FIRE

Will custom build for your department many different configurations of:

- ATV's and slide in units
- Brush trucks and skid units
- Quick Attacks
- Rescues
- Tankers
- Pumper Tankers

Contact us today to help you with your next apparatus.





**Great Plains Fire** is your dealer for Pre-Owned apparatus through Fire Truck Resource.

Visit [www.greatplainsfire.com](http://www.greatplainsfire.com) or [www.firetruckresource.com](http://www.firetruckresource.com) to view available apparatus.

- Ladders & Platforms
- Custom & Commercial Pumpers
- Custom & Commercial Tankers
- Custom & Commercial Rescues
- Wildland Type Units



Call **Great Plains Fire** to help you find your next Pre-Owned Apparatus



**Great Plains Fire** is your dealer for Pre-Owned apparatus through Jon's Mid America.

Visit [www.greatplainsfire.com](http://www.greatplainsfire.com) or [www.jonsmidamerica.com](http://www.jonsmidamerica.com) to view available apparatus.

- Ladders & Platforms
- Custom & Commercial Pumpers
- Custom & Commercial Tankers
- Custom & Commercial Rescues
- Wildland Type Units



*Pre-owned units, and pricing subject to availability*



[www.GreatPlainsFire.com](http://www.GreatPlainsFire.com)





# GREAT PLAINS FIRE

...when quality of service counts

## Mobile Services:

### Apparatus Pump Service

Pump transmission filter removed, cleaned and transmission oil changed (oil included)  
Clean relief valve and screen  
Inspect and lube all suction valves  
Inspect and lube all discharge valves  
Inspect, clean, and lube all drain valves  
Adjust pump packing  
Fill primer oil (oil included)  
Cycle primer to check for proper volume  
Inspect all suction and discharge valves for proper seal

**\*oil and labor included in price**

Drain pump to check proper operation of tank to pump valve  
Check proper operation of tank refill valve  
Check proper operation of pump re-circulation valve  
Inspect water and/or foam level gauge and lights  
Inspect all panel and warning lights for proper operation  
Inspect all chassis and panel gauges  
Engage pump and insure proper operation  
Insure transfer valve proper operation  
Insure discharge and vacuum gauges work properly  
Insure relief valve and flush valve work properly  
Inspect pump packing after operation

---

### ISO Pump Test

ISO three-stage pump test and capacity test

Written service documentation provided

---

### Rescue Tool Service

Change oil on power unit (oil included)  
Clean tools  
Lube tool pivots  
Inspect system for leaks

Inspect hoses for wear  
Insure proper working pressure  
Written service documentation provided

---

## Other Services Offered:


Portable Pump Service & Repair, Quarterly Truck Inspections  
Onsite & Offsite pump rebuilds, Onsite Valve Repair, Tank Replacement,  
Foam System Repair & Installation, CAFS Installations, Apparatus Refurbishment,  
Chassis Replacement, DOT Inspections



### Newton 10" Quick Dump

Flip grate dump with manual handle #50

Plunger style dump with manual handle #10




### Newton 10" Dump Extension

KD Steel Swivel #6012SW


36" telescopic chute for 6012SW

#4036-8x12



### FRC Man Saver Bars

Padded bars with length from 16" to 36"



### FRC Tank Level Gauges

Tank Vision Water Gauge

#WLA300-A00

Remote Water Gauge

#WLA300-B00

Cab Mini Water Gauge

#WLA205-A00

Tank Vision Foam Gauge

#WLA360-A00




## SCENEdots.... A Rear That Wants To Be SEEN

SCENEdot is a patented material that easily creates a reflective area on most any surface of a fire apparatus. There is the original reflective material or the new 3M diamond grade with sealed edges to fill your apparatus needs. Each one comes in a slick sheet format for easier installation. It takes 2 1/2 sheets to cover 1 square foot.

Diamond Grade SCENEdot

Ask **Great Plains Fire** today about installation and pricing for your apparatus.



### Kusmaul Products

Kusmaul Pump Plus 1000 Kit #51-21-1100

Kusmaul Pump Plus 1000 Super Kit #51-23-1204

Kusmaul Auto Charge 1000 Kit #51-02-1204

Kusmaul Auto Charge Super Kit #51-03-1204


Kusmaul Air Eject #091-28

Kusmaul 120v 20 Amp Plug #5-20P-H

Kusmaul Cover #091-3(color)

Kusmaul Super Model #091-55(color)

Kusmaul Super 20 Auto Eject #091-55-20-120



[www.GreatPlainsFire.com](http://www.GreatPlainsFire.com)






### SCBA Brackets

Assembled Bracket 5.25" diameter **#15251**  
 Assembled Bracket 6.1-6.75" diameter **#16751**  
 Assembled Bracket 7.25" diameter **#17251**  
 One size fits all - with NFPA compliant strap **#14000**



### Mounting Plates

4" and 5" Storz **#MF507**  
 1.5" male **#MM1501**  
 1.5" female **#MF1501**  
 2.5" male **#MM2501**  
 2.5" female **#MF2501**  
 4" male **#MM401**  
 4" female **#MF401**  
 4.5" male **#MM4501**  
 4.5" female **#MF4501**  
 5" male **#MM501**  
 5" female **#MF501**  
 6" male **#MM601**  
 6" female **#MF601**



**Standard Wheel Chock 8"x8.5"x12" #SWC**  
 (Orange) HWC  
 Vertical Storage Bracket **#VSB**  
 Horizontal Storage Bracket **#WSB**



**Horizontal Pike Pole Bracket #FBP58Z01C**  
**Vertical Pike Pole Bracket #SMP59Z01C**  
**Pike Pole Ring #PR61Z01C**



**Pinch Point Bar Brackets**  
**#CHR55Z01C**



**Chrome Horizontal Axe Holder**  
**Blade Bracket #ZAH5101C**  
**Handle Bracket #ZSMA5201C**



Tired of leaving your tools strewn about, risking safety of passersby and fast degradation of quality? **PAC Tool Mounting Systems** is the answer! **PAC Tool Mounting Systems** have a mount for all your needs from universal to tool specific mounting systems.  
 Visit [www.pactoolmounts.com](http://www.pactoolmounts.com) for complete product line



**PN 1003HD Tool Lock**



**PN 1070 Jumbo Lock**



**PN 1004 Handle Lock**

*Great for Horizontal  
Tool Storage*



**PN 1002HD & PN1002-SHD**  
Flex Mount



**SOLD IN PAIRS**

**PN 1001 Hook Locks**

*Versatile Hanger or  
Friction Lock*




**PN 1009 Tool Hanger**



**K5050L Super**  
Adjustamount Kit

*Great for Nozzles*



### Duo Safety 2 Section Ladders

Series 1000-A, 2 3/4" channel rail 750 lb. duty rated, prong feet as standard, rubber safety shoes optional for hard surface use.

10' closed length 7' 2.25" x 18.5" wide x 4.56" thick **#1000-A-10**

12' closed length 8' 2.25" x 18.5" wide x 4.56" thick **#1000-A-12**

14' closed length 9' 2.25" x 18.5" wide x 4.56" thick **#1000-A-14**

16' closed length 9' 11.5" x 18.5" wide x 4.56" thick **#1000-A-16**

Series 900-A, 3 1/4" channel rail 750 lb. duty rated, prong feet as standard, rubber safety shoes optional for hard surface use.

20' closed length 12' 2.75" x 21.75" wide x 5.375" thick **#900-A-20**

24' closed length 14' 2.75" x 21.75" wide x 5.375" thick **#900-A-24**

Series 1200-A, 3 3/4" channel rail 750 lb. duty rated, prong feet as standard, rubber safety shoes optional for hard surface use.

28' closed length 16' 3.25" x 24" wide x 6.5" thick **#1200-A-28**

30' closed length 18' 3.25" x 24" wide x 6.5" thick **#1200-A-30**

35' closed length 20' 3.25" x 24" wide x 6.5" thick **#1200-A-35**

### Duo Safety 3 Section Ladders

Series 925-A, 3 1/4" channel rail 750 lb. duty rated, prong feet as standard, rubber safety shoes optional for hard surface use.

22' closed length 10' 8.75" x 24" wide x 7.625" thick **#925-A-22**

26' closed length 11' 8.75" x 24" wide x 7.625" thick **#925-A-26**

Series 1225-A, 3 3/4" channel rail 750 lb. duty rated, prong feet as standard, rubber safety shoes optional for hard surface use.

28' closed length 12' 11" x 24" wide x 9.125" thick **#1225-A-28**

30' closed length 13' 3" x 24" wide x 9.125" thick **#1225-A-30**

35' closed length 15' 3" x 24" wide x 9.125" thick **#1225-A-35**

Series 1525-A with poles, 5" channel rail 750 lb. duty rated, prong feet as standard, rubber safety shoes optional for hard surface use.

40' closed length 16' 10" x 26.5" wide x 9.8" thick **#1525-A-40**



## DUO SAFETY LADDER CORPORATION

*"Use A Good Ladder Or Stay On The Ground"*

Call **Great Plains Fire** if you do not see the Duo Safety ladder you need. Custom sizes available



### Duo Safety Roof ladders

Channel rail construction, 750 lb. duty rating

10' **#775-A-10**

12' **#775-A-12**

14' **#775-A-14**

16' **#875-A-16**

18' **#875-A-18**

20' **#875-A-20**

25' **#1275-A-25**



### Duo Safety Folding Attic Ladder

300 lb. duty rated

8' **#585-A-8 \$195.00**

9' **#585-A-9 \$219.00**

10' **#585-A-10 \$232.00**

12' **#585-A-12 \$257.00**

14' **#585-A-14 \$270.00**



### Duo Safety 2 Section Fiberglass Ladders

4 1/2" channel rails, 750 lb. duty rated, special self extinguishing resin will not support flame, special ultra-violet screen for fade resistance, safety yellow, all fiberglass ladders are non-conductive for 110 volt single phase service with a maximum of 30,000 volts.

All 2 section ladders 23" wide x 7" thick

16' (closed length 10' .5") **#YGE-2-16**

20' (closed length 12' 3.5") **#YGE-2-20**

24' (closed length 14' 3.5") **#YGE-2-24**

28' (closed length 16' 3.5") **#YGE-2-28**

30' (closed length 17' 10.5") **#YGE-2-30**

35' (closed length 20' 3.5") **#YGE-2-35**

### Duo Safety 3 Section Fiberglass Ladders

All 3 section ladders 26.5" wide x 9.5" thick

28' (closed length 12' 11.5") **#YGE-3-28**

30' (closed length 13' 3.5") **#YGE-3-30**

35' (closed length 15' 3.5") **#YGE-3-35**



### Skull Saver Ladder Pads

23"h x 9"w

**#SSA100-A23**

25"h x 10"w

**#SSA100-A25**

27"h x 12"w

**#SSA100-A27**



### Duo Safety Combination Jack Knife Ladder

Versatile ladder that doubles as an A frame step ladder and a rugged single ladder. Equipped with famous Duo Safety ladder shoes. 750lb duty rated

4'-8' **#35-B-4-8**

6'-12' **#35-B-6-12**

7'-14' **#35-B-7-14**

8'-16' **#35-B-8-16**



[www.GreatPlainsFire.com](http://www.GreatPlainsFire.com)



## Smart Sequential Road Flares

RDS™ (Rapid Deployment System): Automatically turns on flare when removed from the case

Tilt sensor automatically directs light output to optimize driver awareness

"Pair" mode system allows for single or multiple sets to be synchronized

4 flash patterns to choose from (2 sequential, 1 simultaneous, 1 steady-burn)

Preferred pattern, deployment order, and gravity activation mode settings are saved into memory for next deployment

Automatic synchronization of flares; No programming, no pre-numbering; turn and deploy; That Easy!

Powered by Lithium-ion rechargeable battery (1500 fully depleted charge cycles)

20+ hour runtime (flash pattern dependent)

6 hour recharge time from a completely depleted battery

Charge all flares at once (using dual purpose carrying case)

Kit includes: Carrying/Charging Case, DC 12/24V Vehicle Plug, AC 110/240V Wall Plug, 2 Year Warranty

Generation-2 flare - 22,600 kg (50,000 lbs) of crush strength.

IP66 Water and Dust Proof Rating



## Smart Med-Evac Landing Zone Kit

RDS™ (Rapid Deployment System): Automatically turns on flare when removed from the case

Standard Configuration includes 12 High-Power Infrared LEDs, 4 High-Power Visible Green LEDs

Powered by Lithium-Ion Rechargeable Battery

20+ Hour of runtime (continued flash)

6 hour recharge time from a completely dead battery

30,000 lbs (13,600 kg) crush strength (lab tested and certified)

IP67 water and dust rating

Purchase include: Carrying/Charging case, 5 Radio-Connected LZ Flares, 5 Ballasted Range Extender Bases, DC 12/24V Vehicle Plug, 110/240V Wall plug

# WHELEN®

## ENGINEERING COMPANY INC

Call **Great Plains Fire** today to custom build a lightbar for your department!

### Whelen Justice WC



50" all red LED light bar with 8 LED modules - Fully populated to colors of your choosing, -Mounting hardware included  
#JY8RRRR

### Whelen TAM63



LED 6 head arrow stick with control head  
#TAM63

### Responder LP Duo Mini Lightbar

6 Duo LEDs - Red, Blue, or Amber



#R1LPM(color)

### Justice Mini Lightbar

4 Corner LEDs - Red, Blue, or Amber



#MJY(color)M

### Whelen Power Control Center

Switch box with 6  
25 AMP switches  
#PCC6W



**Whelen LED surface lights.**  
All sizes includes chrome bezel.  
Colors: Red, Blue, Amber

60\*02F\*R

70\*02F\*R

90\*\*5F\*R



**Whelen M Series LED surface lights.**  
All sizes includes chrome bezel.  
Colors: Red, Blue, Amber

M4(color)

M6(color)

M7(color)

M9(color)



### Whelen Gamma Control

Siren control with 2  
light circuit switches  
#GAMMA2



### Whelen Hands Free Siren Controls



#295SLSA1

### Whelen L31 LED Beacon

Colors: Red,  
Blue, Amber  
#L31H(color)F



**Whelen LIN3 LED Surface mount light**  
with chrome bezel  
#RS(color)02CZR



**Whelen Composite Speaker**  
#SA315P



Whelen Universal  
Mount

**Whelen Roto-Beam Super LED**  
"Rotating" LED  
Beacon  
#R416(color)F



**Whelen ION V3 Series w/ puddle light option** with chrome bezel  
#IONSV3(color)C



**Whelen Projector Series**  
Natural Aluminum Finish  
#SA314A



[www.whelen.com](http://www.whelen.com)

[www.GreatPlainsFire.com](http://www.GreatPlainsFire.com)





## Federal Signal Allegiant Serial



Low profile, Linear shaped LED light bar.  
45" fully populated red/white warning lights.  
With takedown, alley lights, white flood, amber  
signal master and interface module.

**ALGT45J-F2HMC**

## Federal Signal Latitude Signal Master



Available in 6 or 8 head models. Solaris LED  
reflector technology. Includes the economy  
Signal Master controller. Mounts not included

6 Head **SL6S-A**

8 Head **SL8S-A**

## Federal Signal HighLighter LED Plus



Low profile with uniform 360 degree light  
distribution. Solaris LED reflector technology.  
2.7" tall x 15" long permanent mount. Color  
combinations available.

All red **HL10PC-R**

## Federal Signal Q-Siren



Pedestal mount

**Q2B-012PSD**

Recessed mount

**Q2B-012NNSD**

## Federal Signal Siren Controller



PA 300 compact electronic siren **690000**

## Federal Signal FireRay & QuadraFlare



FireRay LED warning  
lights with a chrome  
bezel. Colors red,  
blue or amber.

4x3

**FR4-color**

6x4

**FR6-color**

7x3

**FR7-color**

9x7

**FR9-color**



QuadraFlare LED  
warning lights with a  
chrome bezel. Colors  
red, blue or amber.

4x3

**QL43-color**

6x4

**QL64-color**

7x3

**QL73-color**

9x7

**QL97-color**

## Federal Signal Siren Speakers



DynaMax/ES100C with  
bracket **ES100C**



BP Series with stainless "F"  
grille **BP200-EF**

## Federal Signal MicroPulse Ultra 3



**MPS31U-color**

## Federal Signal Pro LED Beacon



**300TMP-color**



**XSTREAM** single head light blue/  
red/white cigarette plug.  
**XSM1C-BRW-US**

Call **Great Plains Fire**  
for more Federal  
Signal products.  
We can get you what  
you need.

# WHELEN®

## ENGINEERING COMPANY INC



WHELEN Pioneer & Pioneer Plus Series Spotlights, Floodlights, and combination Spot/Flood  
Injection molded polycarbonate optics lenses are hard-coated to minimize environmental damage  
Die-cast and aluminum powder coated  
Color temperatures reach 6,000° Kelvin, simulating bright midday light  
5 year warranty  
Pioneer floodlight single lamp 3,700 lumen output, dual 7,400 lumen output  
Pioneer Plus floodlight single lamp 8,100 lumen output, dual 16,000  
Available in brown mount, recess mount, universal mount, and pole mount  
Spot/ Flood combination lights available also

Please contact **Great Plains Fire** for configuration pricing



### Pioneer Nano™

Available in 3 or 6 diode models  
8° spotlight pattern comes standard  
Includes additional 40° x 20° flood lens  
Optic lens changes easily via four screws in picture frame fixture  
Powder coated stainless steel bail

Nano 3 diode #NP3BW  
Nano 6 diode #NP6BW



### Pioneer Micro™

8° spotlight pattern comes standard  
Includes three additional lenses for light patterns of flood, wide flood, horizontal flood.  
Optic lens changes easily via four screws in picture frame fixture  
Built-in nylon screw grommets eliminate galvanic corrosion  
Pricing based off of universal mount, other mounts available  
#MPBW








**SOBRITE**  
7000 Lumen LED light  
Compact design  
12 Volt 5 amps  
CD Base Mounting  
#SRA110-07A

**FRC Evolution II**  
12V LED Scene Light

Push Up  
#FCA530-V11  
#FCA530-V20  
Pull Up  
#FCA542-V11  
#FCA542-V20  
Top Mount  
#FCA570-V11  
#FCA570-V20



**FRC Spectra 900**  
LED scene lights  
12 volt 4,600 lumens  
#SPA902-Q65

Chrome bezel and surface mount



**FRC Firefly**  
surface mount LED  
compartment light.  
LED110-Q01

**FRC Spectra**

120V AC, 20K Lumen Lamp Head,  
SPA100-K20  
12V DC, 20K Lumen Lamp Head,  
SPA100-Q20  
120V AC, 20K Lumen, Push Up  
SPA530-K20  
12V DC, 20K Lumen, Push Up,  
SPA530-Q20  
120V AC, 20K Lumen, Pull Up  
SPA510E-K20  
12V DC, 20K Lumen, Pull Up  
SPA510E-Q20  
120V AC, 20K Lumen, 3" Sq. Top Mount  
SPA510-K20  
12V DC, 20K Lumen, 3" Sq. Top Mount  
SPA510-Q20  
120V AC, 20K Lumen, Tri-Pod  
SPA600-K20



**FRC**  
FIRE RESEARCH CORP.



**FRC Spectra LED Portable Light**  
120v AC, 20,000 lumens.

SPAKR700-K20-ON



**ROM Stand alone light strips**  
Mounting Options  
• 3M dual sided tape  
• Pre-Punched Slots  
• Adjustable Mounting  
Brackets  
#R03000-(size)

6"	42"	72"
12"	48"	78"
18"	54"	84"
24"	60"	90"
30"	66"	96"
36"		

**R.O.M.**  
CORPORATION

*Excellence made to order.*



**Akron 12V LED Extenda-Lite® Scene Lights**

19,000 Lumens  
#ELSS-XLDC Lamp Head

#ELSS-XLDC-PS-SM2 Push Up

#ELSS-XLDC-PU-SM2 Pull Up

#ELSS-XLDC-PU-TM Top Mount



#### Rechargeable LED Area Light Kit

- 1,000 lumens on high brightness mode, 500 on low
- Includes 6' tripod, AC / DC power supplies and carrying case
- Rechargeable Li-ion battery
- Multi-angle tilt and swivel design with magnetic base
- Constructed from lightweight 6061-T6 aluminum

**NSR-1514C**

#### INTRANT™ Intrinsically Safe Dual-Light™ Angle Light



- CREE LED technology – 50,000+ hours LED life
- 8 User-selectable brightness settings for the Flashlight and Floodlight including a 20 Lumen Survival Mode
- Dual-light (both the flashlight & floodlight on at the same time) provides for maximum lighting versatility and user safety
- 3 AA batteries (included)
- Upgradeable to rechargeable by adding Lithium-ion Battery Pack, Charger and AC and/or DC Power Supply
- Limited Lifetime Warranty

**XPP-5566RX**



#### Tactical Fire Light w/ Mult-Angle Helmet Mount

- 180 Lumens
- 3 Hours run-time
- Momentary or constant-on
- Can be mounted to virtually all Fire Helmets and Hard Hats
- 140 Degrees of adjustability
- Meets the requirements of NFPA-1971-8.6 (2013)

**FDL-300R-K01**



#### Intrinsically Safe Dual Light Lantern-Rechargeable

- 210 Lumen flashlight for 12 hours
- Flashlight/Floodlight/Dual-Light™
- User-selectable brightness settings on Flashlight & Floodlight with 30 Lumen Survival mode
- cULus, ATEX, and IECEx certified Intrinsically Safe
- Meets the requirements for NFPA-1971-8.6 (2013)
- Charger meets requirements of NFPA-1901 (2009)

**XPR-5580R**



#### Helmet-mounted Multi-Function Dual Light Flashlight

- Flashlight / Floodlight / Dual-Light™
- User-selectable brightness on Flashlight & Floodlight including 15 Lumen Survival mode on Floodlight
- Works with virtually all fire helmets and hard hats
- Meets the requirements for NFPA-1971-8.6 (2013)

**NSP-4650B**

#### Safety Light/ Flashlight Combo Kit



- Has both a tight-beam long-throw flashlight and a wide-angle two colored flashing safety light array
- Lighting modes: momentary and constant-on flashlight, full-power constant-on white floodlight, flashing amber safety light & dual-light (both the flashlight & floodlight or flashing safety light array at the same time)
- Two button design top: flashlight, bottom: floodlight/safety light Powered by 4 AA batteries (included)
- Kit includes one heavy weighted magnetic base and one red safety cone

**NSP-1170-K01**





**Fortem Helmet Mount Light**

**XPP-5466R**

- Intrinsically safe helmet mount dual light
- Flash light flood light dual light
- 250 lumens
- 45 degree angle flood light
- Rear facing green safety LED light
- Works with virtually all helmets
- Meets requirement of NFPA 1971-8.6 2013



**Forge Helmet Mounted Light**

- Two models to choose from with the same features
- Single push button on used easily with gloved hand
- 360 lumens on high mode
- Rear facing green light

Intrinsically safe model **XPP-5465R**  
Standard model **NSP-4640B**



**Integritas intrinsically safe rechargeable lantern**


**XPR-5582RX**

- LED technology with a multi position tilting head
- 1750 lumens with 5 hour run time and low beam capable
- Rear facing green safety lights
- Low battery indicator and shoulder strap
- Locking snap charger
- Integrated lithium-ion rechargeable battery
- Light meets NFPA-1971-8.6 2013
- Charger meets NFPA-1901-14.1 10.2 2016



**Intrinsically safe flash light with multi angle mount**

**XPP-5418RX-K01**



**Aluminum mini tac flash light**

- 100 lumens
- Two AAA batteries

**MT-100BL**  
**MT-100R**



**XPR-5586GX**

- 10 run time on either flood or flash light mode
- 900 lumen dual light mode
- Intrinsically safe
- Dual red LED tail lights for safety
- cULus certified
- IP- 67 dustproof/ Waterproof
- Meets NFPA-1971-8.6 2013
- Charger meets NFPA-1901-14.1.10.2



**Intrinsically Safe Dual Light Lantern-Rechargeable**

- 1100 Lumen flashlight
- Flashlight/Floodlight/Dual-Light™
- cULus, ATEX, and IECEx certified Intrinsically Safe
- Meets the requirements for NFPA-1971-8.6 (2013)
- Charger meets requirements of NFPA-1901 (2009)

**XPR-5581RX**

# argus®

thermal imaging from Avon Protection



## MI-TIC-E-1

### INTRODUCTION

The Mi-TIC E is the world's smallest high resolution thermal imager for fire fighting applications. The camera provides a crystal clear image with dynamic range up to 760°C (1400°F) and at the same time see very low temperature objects, which is ideal for casualty searches. Every Mi-TIC E is supplied with a unique dual use desk-top/in-truck charger station which securely retains and charges both the thermal imager and a spare battery. The charger stations can be daisy-chained together, up to a maximum of 6 units.

### PERSONAL

Weighing approximately 750g (26oz) the Mi-TIC E is a small format thermal imager that can be easily and comfortably held in the palm of your hand. Unlike many thermal imagers, the Mi-TIC E design allows it to be worn in multiple ways – in the hand, inside a pocket, clipped outside a pocket, clipped to a lanyard or hung around the neck

### MI-TIC-E-1



## MI-TIC-320-3

The Mi-TIC 320 is part of the argus range of thermal imaging cameras and is the world's smallest NFPA 1801 certified high resolution thermal imager for fire fighting applications. The camera provides a crystal clear image with a superb dynamic range: you can clearly view extremely high temperatures without whiteout, and at the same time still see very low temperature objects, which is ideal for casualty searches. Every Mi-TIC 320 is supplied with a unique dual use desk-top/in-truck charger station which securely retains and charges both the thermal imager and a spare battery. The charger stations can be daisy-chained together, up to a maximum of 6 units.

### PERSONAL

Weighing approximately 750g (26oz) the Mi-TIC 320 is a small format thermal imager that can be easily and comfortably held in the palm of your hand. Unlike many thermal imagers, the Mi-TIC 320 design allows it to be worn in multiple ways – in the hand, inside a pocket, clipped outside a pocket, clipped to a lanyard or hung around the neck.

### MI-TIC-320-3





# argus<sup>®</sup>

thermal imaging from Avon Protection

MI-TIC<sup>S</sup>



The lightest and most affordable NFPA 1801 certified thermal imager.  
With a 3.5" display at only 1.8 lbs  
Temperature range of -40°F to 2000°F  
5 second start-up time

Standard configuration includes  
2x zoom with 3 button control  
Hot and cold spot tracker  
Laser pointer  
Video recording  
Lanyard, charger, spare battery

Standard battery 1100 MAh, 6.6 V standard capacity battery with 2 hour battery life.  
Less than 2 hour charge time  
Includes lanyard, truck charger, spare battery



MI-TIC-S-3



**Sensit P100 Personal Gas Meter** - One button operation. 2 year life before service needed. Limited 2 year warranty  
 Carbon Monoxide **#912-00000-03**  
 Hydrogen Sulfide **#912-00000-05**  
 Oxygen **#912-00000-13**  
 Hydrogen Cyanide **#912-00000-07**



**Sensit P400** is a multi gas personal monitor designed to warn the user of hazardous gases in their working environment. The P400 can be configured with 1 to 5 sensors also with or without pump

Four Gas without pump **#923-FC000-40**  
 Four Gas with pump **#925-FC000-40**

To add fifth sensor choose from the following choices:  
 C12, NO2, HCN, PH3, SO2, ETO Add to above cost **(-5X)**

Four gas calibration kit with case **#881-00084**



**Sensit HCN CO** The new Sensit HCN CO with its rugged construction and powerful rotary pump, hot air probe and bright LCD display makes it perfect for testing ambient air and hot gas samples. Infrared communication allows printing of test results to a compact printer (accessory) or PC. Simple and convenient  
**#913-FC000-12**  
 Calibration Kit **881-00058**



**Sensit Gold Series** - Leak detection and gas monitoring combined in a single package. These instruments can be custom configured to meet your needs when detecting combustible gases in the LEL range, locating combustible gas leaks in the PPM range, measuring CO and/or H2S. All instruments are equipped with an internal pump for constant sampling. Audible and visual alarms warn the operator of hazardous conditions.

Sensit Gold Four Gas **#909-FC000-H**  
 Sensit Gold Four Gas and Cal Kit **#909-FC000-H-Cal**  
 Calibration Kit Only **#881-00030**

## Sensit TKX

The TKX is a state-of-the-art multi gas detector used to rapidly locate combustible gas leaks. High sensitivity allows rapid leak detection and tick rate control to pinpoint leaks. Low initial cost and low maintenance make the SENSIT® TKX the perfect choice.

High sensitivity allows immediate leak detection

Audio and visual leak indicator

Adjustable tick rate to pinpoint leaks fast

Solid state sensor

**#902-FC00-02**







Ansul Class A  
Foam 55 Gal Drum

#433443

Ansul Class A Foam

#433442



Silvex Class A Foam

#434467

#### In-line Foam Eductor

1.5" inlet x 1.5" outlet  
¼, ½, 1, 3, 6% rates @ 125gpm



#203-125



#### Foam Pail Wrench

#4578-YF

#### Scotty Super Spanner/Foam Pail Wrench



#4579-YF

#### Waterous Fire Troll

In line foam eductor. Great for brush trucks or skid units!



#83437

#### Scotty Portable Foam Units

1.3 gallon jug 3, 8, 15, 30, 50, 70, or 95gpm., 3/4" GHT and 1.5" NH swivel inlet.

#4075-(gpm)A

3 gpm #4075-3

8 gpm #4075-8

Variable eductor unit .5%-3%

#4075-(gpm)AV



#### Scotty Forestry Back Pack

5 Gallon Back Pack #4000bp

5 Gallon Pack w/foam #4000f-bp



#### Scotty "Through The Pump" Foam eductor kit



#4072-kit

#### Scotty Portable Foam Sticks



15, 30, 50 gpm 1.5" inlet  
#4010-50A

(3) 12" foam cartridges  
#4010CART12



3 gpm, 3/4" GHT  
#4010-3

(3) 6" foam cartridges  
#4010CART6

Visit [www.scottysfire.com](http://www.scottysfire.com) for videos!

### Apparatus Foam Injection Systems

**Great Plains Fire** can convert your current apparatus to have foam system capabilities with models from the top name manufacturers. Please contact **Great Plains Fire** for an estimate to convert your apparatus to a Hale, Waterous, or Foam Pro System. Call for pricing and installation.





# HUSKY

## Portable Containment



### Standard Folding Tanks

500-5000 Gallons  
All frame tanks are 29" tall  
Includes "Easy Lift" handles  
22oz vinyl wall with 28oz vinyl base.




### Skinny™ Tank

Folding frame tank with narrow design.  
It gives you more options for where you can set up your drop tank.

### Replacement Liners & Frames

Contact **Great Plains Fire** for pricing




### Easy Lift Handles


Easy lift handles come standard on all Husky drop tanks, making tear-down quick and easy!

### Quick Dump Option

Drain your tank in seconds for quick tear-down!



**Portable Drop Tank Racks** built to any size drop tank. Includes front and rear wind dam, lever lock hold downs, heavy duty hinges, and aluminum/stainless steel construction.



### Pro500 Tank Liner The Ultimate Replacement liner for your existing folding Frame Tank

- Fits in your standard tank rack and any standard frame including our Skinny Tank, which works great on one-lane backroads!
- No need to remove frame uprights with Pro500 liner
- Minimal setup— Unfold, unhook, & Go
- Bladders can be deployed and folded by just one person
- On a Slope? No Problem! Bladders will not cause Pro500 to roll over!
- Need more gallons? Deploy as many bladders as needed or use as a regular tank
- The Pro500 bladders can be custom sized. Bladders can be added and made of different sizes.





### Lightweight Flexible Hard Suction Hose



2.5" NST x 10'  
4" NST x 10'  
4.5" NST x 10'  
5" NST x 10'  
6" NST x 10'  
4" Storz x 10'  
5" Storz x 10'

(Cam-lock style also available. Call **Great Plains Fire** for pricing)  
Lengths from 5'-25' available with all couplers or combinations. Call **Great Plains Fire** for your suction needs!


### ST2 Lubricant



Dry lubricant for hose ends and fittings. Work for both storz and threaded ends. Contains no grease, applies wet and maintains lubricity when dry. Does not collect dirt or debris.  
**#ST2-12oz**



**Hose Washer**  
Up to 3" **#39700**  
Up to 5" **#39800**



**Flamefighter Hose Tester**  
Capable of up to 1800' per test. Comes with built in hose washer wand. 2.5" connections with reducers for 1.5"

**#HT10025**

Call  
**Great Plains Fire**  
for more hose,  
hydrant,  
apparatus testing,  
and cleaning  
supplies!


### Low Level Strainer

Sizes 2½"-6" available  
All aluminum construction  
1½" Jet siphon on all sizes 4" and up

LL25	2.5"
LL40	4.0"
LL45	4.5"
LL50	5.0"
LL60	6.0"

Storz Fittings

LL407	4.0"
LL507	5.0"



### Husky Supply Line Holders

Single **#SLB-25**

Double **#SLBD-25**



### Power Jet Siphon

All aluminum construction  
Storz and camlock fittings available  
**#JS(size)**

4"  
4.5"  
5"  
6"



### Self Leveling Floating Strainer

All aluminum construction  
Sizes 2½"-6" available

FBS25	2.5"
FBS40	4.0"
FBS45	4.5"
FBS50	5.0"
FBS60	6.0"

Storz Fittings

FBS407	4.0"
FBS507	5.0"



Call **Great Plains Fire** if  
you do not see the  
water supply products  
you need.

***We will find it for you!***



### ARMTEX HD Attack Hose-10 year Warranty

Double Jacket Rubber Lined  
Immune to mildew and rot  
1200 psi burst pressure, 400 psi service pressure  
**Colors:** white, red, blue, orange, green, tan, yellow  
25' 50' & 100' lengths available  
**10 year Warranty**



### Jafrib LDH-10 Year Warranty

Synthetic, single jacket with nitrile/PVC rubber  
Lining and cover, made in a single extrusion  
eliminating risks of separation or blistering.  
4" 700psi burst, 200psi service pressure  
5" 600psi burst, 200psi service pressure  
**Colors:** Red or Yellow

### Soft Suction-10 Year Warranty

Pricing is 5" Jafrib with 4.5" female long handle  
with either 4.5", 5", or 6" female long  
handle.



### Forestry Hose-10 Year Warranty

Circular woven single jacket with polyurethane  
liner. Immune to mildew and rot. 900psi burst,  
300 psi service pressure  
**Color:** White Lengths 25' 50' & 100'



### Light Weight 1" Booster Hose

Polyester woven jacket w/heavy duty  
polyurethane liner 1500psi burst, 300psi service  
pressure NST expansion coupling standard  
**Color:** red only lengths 25' 50' 100' & 150'



### FRC JACK STRAP

Hose handling system.  
Made From 2" Webbing.  
Adjustable from Supply  
Line to Hand Line.  
Shoulder Loop for Pulling  
and Support.  
**#JSA100**  
Accessory Pouch  
**#JSAoption-P**

### GROVES TILTING HOSE ROLLER

27" Diameter Table  
Heavy Steel Construction  
Powder Coated Red Finish  
Sturdy Casters for Easy Movement

**#TT-27**



Call **Great Plains Fire** for more hose, hydrant, apparatus testing, and supplies!





### **ARMTEX HP Hose**

Resists burn-through for a full minute  
 Oversized inner jacket for increased water flow  
 Outstanding kink resistance  
 1.75" x 50' colors florescent yellow, army green, red, blue  
 2.5" x 50' colors blue and florescent yellow  
**10 year Warranty**



### **JAFLINE HD Hose**

Made in the USA  
 Immune to mildew and rot  
 All weather performance: retains pliability to -40F  
 Double jacket construction polyester and EPDM rubber ozone lining  
 Coated for better durability  
 High burst rating: 1200 psi up to 3" diameter  
 Colors: yellow, red, orange, blue, tan, green and white  
**10 year Warranty**



### **JAFX4 Hose**

Revolutionary co-extrusion technology creates a "Four layer hose in one operation" without the use of adhesives forming a homogeneous hose which cannot delaminate.  
 Resists burn through.  
 Super resistant to abrasion.  
 Low friction loss and high kinking resistance.  
 UL19 certified.  
 Color yellow.  
**10 year Warranty**

## **Mobile Hose Dryer**

- Made in the USA
- Built to dry hose, immersion suits, wet or dry dive gear and/or de-contaminated hazmat suits
- Stores and dries up to 1200' of 1 1/2" - 1 3/4" or up to 800' of 2 1/2" - 3" hose
- Complete with 4 heavy-duty 5" casters
- Made of heavy-duty steel with red power coated finish
- Optional hangers hold turnouts, rope, webbing, slings and salvage covers

**MHD-80**





**Double Swivel Female Rocker Lug**  
Long Handle available for 2.5" and larger  
#35R(size x size)

Size	1"	1.5"	2"	2.5"	3"	4"	4.5"	5"	6"
1"	X	X							
1.5"		X		X					
2"									
2.5"				X	X	X	X	X	X
3"									
4"						X	X	X	X
4.5"							X	X	X
5"								X	X
6"									X



**Double Male Rocker Lug**  
#36R(size x size)

Size	1"	1.5"	2"	2.5"	3"	4"	4.5"	5"	6"
.75"	X	X		X					
1"	X	X		X					
1.5"		X		X					
2"									
2.5"				X		X	X	X	X
3"									
4"						X	X	X	X
4.5"							X	X	X
5"								X	X
6"									X



**Rigid Female Rocker Lug to Male**  
Long handle available on 4" and larger  
#37R(female x male)

Male

Size	.75	1"	1.5"	2"	2.5"	3"	4"	4.5"	5"	6"
.75"										
1"	X									
1.5"	X	X			X					
2"										
2.5"	X	X	X				X	X	X	X
3"										
4"					X			X	X	X
4.5"					X		X		X	X
5"					X		X	X		X
6"					X		X	X	X	

Female



**Hazmat Adapters**  
1.5" x (2) male garden hose thread  
#40H15FGG  
2.5" x (2) male garden hose thread  
#40H25FGG



KOCHER CO. INC.

**Harrington, Inc.**  
LDH System Specialists



**NH or NST** - National Hose Thread also known as National Standard Thread  
**NPT** - National Pipe Tapered  
**NPSH** - National Pipe Straight Hose  
**GHT** - Garden Hose Thread

Combination of threads available on all fittings.



**Rocker Lug Caps & Plugs** Chrome Finish and Long Handles Available. Call for Pricing.

#Cap(size)  
#Plug(size)

Size	1"	1.5"	2"	2.5"	3"	4"	4.5"	5"	6"	4" Strz	5" Strz
Cap	X	X		X	X	X	X	X	X	X	X
Plug	X	X		X	X						

Call **Great Plains Fire** for chrome finish pricing, and special thread requirements.

**Great Plains Fire** can get most all types of thread patterns.

Cam Lock style adapters also available.



www.GreatPlainsFire.com



## Storz to Female Adapters



	2.5"	4"	4.5"	5"	6"
4" storz x rigid female #S37S-(size)	X	X	X	X	X
4" storz x swivel female #S54R-(size)	X	X	X	X	X
4" storz x long handle female swivel #S54L-(size)	X	X	X	X	X
5" storz x rigid female #S37S-(size)	X	X	X	X	X
5" storz x swivel female #S54R-(size)	X	X	X	X	X
5" storz x long handle female swivel #S54L-(size)	X	X	X	X	X

## 30 Degree Storz x Female Adapter



	2.5"	4"	4.5"	5"	6"
4" Storz x Rocker lug female #SKE(size)R	X	X	X	X	X
4" Storz x Long handle female #SKE(size)L	X	X	X	X	X
5" Storz x Rocker lug female #SKE(size)R	X	X	X	X	X
5" Storz x Long handle female #SKE(size)L	X	X	X	X	X



**Akron Revolution** intake valve with 30 degree swivel elbow. Compact design to take up less pump panel space. Available in 4"-6" thread sizes and 4"-5" storz.  
#7982 10 year warranty

**Akron Revolution** intake valve with straight connection. Compact design to take up less pump panel space. Available in 4"-6" thread sizes and 4"-5" storz.  
#7983 10 year warranty



4" x 5" Storz to Storz  
Adapter  
#S60S54



Kochek Hydrant Adaptor  
4" #SZMC4045-3  
5" #S2MC5045-3



2.5" Hydrant Gate  
Valve  
#595



2.5" Hydrant Valve  
#596



2.5" x (2) 1.5" Gated  
Wye  
#520



Forestry Wye  
1" inlet x (2) 1" outlet  
#505

Call **Great Plains Fire** if you do not see the fittings or adapters to fit your needs.  
We will find it for you!

## Gear Actuated Intake Valve



4" #BV78H-40AH  
4.5" #BV78H-45AH  
5" #BV78H-50AH  
6" #BV78H-66AH

**Akron Turbo Jet Adjustable GPM Nozzle**

1" #1702

1 1/2" #1720

2 1/2" #1733

**Akron Ultra Jet Nozzle**

The UltraJet nozzle is all-in-one, combining both smooth bore and fog patterns.

1.5" or 2.5" #1820

**Akron Assault Fixed GPM Nozzles**

1" #4802

1 1/2" #4824

2 1/2" #4826

**Akron ProVenger Nozzle**

Selectable Gallonage

1" w/o pistol grip #1602

1 1/2" w/ pistol grip #1616

Fixed Gallonage

1 1/2" w/pistol grip #4116

**Akron One Piece Stream Shaper**

1 1/2" #3485

2 1/2" #3485

**Akron Aluminum 1" Forestry Nozzle #1030****Akron Mercury Monitor**

It shall have a 2 1/2" inlet with a full time swivel and a 2 1/2" outlet. The monitor should weigh no more than 14 lbs less the nozzle, and have dimensional layout of 9"H x 14.5"L x 23.5"W (deployed). The legs shall fold away to reduce the width down to 7.75".

#3444

**Protek Selectable Gallonage Nozzles**

1" 5-10-24-40 gpm @100psi #360

1" 13-25-40-60 gpm @100psi #361

1.5" 30-60-90-125 gpm @100psi #366

1.5" 95-125-150-200 gpm @100psi #367

1.5" 30-60-95-125-150-200 gpm @100psi #369

2.5" 95-125-150-200-250 gpm @100psi #368

**Protek Playpipe with Tip**

2.5" selectable gallonage

95,125,150,200,250 gpm

@100 psi #368-TP

**Protek Dual 2.5" Line Ground Monitor**

Dual clappered inlet, 32lbs, Compact folding base

**Complete Kit**— monitor, base, 845 nozzle,

119 stream shaper, 120 quad stacked tip,

Direct mount flange w/3" NPT thread

#622-kit

**Protek 2.5" Single Line Ground Monitor**

Small light weight (14lbs.), Folding legs w/ carbide spikes, Flows up to 500 gpm.

**Complete Kit**— monitor, 822 nozzle,

119 stream shaper, 117 deluge tip

#600-kit

**Protek Smooth Bore Tips**

1.5" triple stacked tips 1", 1 1/8", 1 1/4"

#115

2.5" quad stacked tips 1", 1 1/8", 1 1/4", 1 1/2"

#118

2.5" quad stacked tips 1 3/8", 1 1/2", 1 3/4", 2"

#120

**Protek Ball Shut Off**

1" inlet x 1" outlet 3/4" waterway #100

1.5" inlet x 1.5" outlet 1" waterway #101


1.5" or 2.5" inlet x 1.5" outlet 1 3/8" waterway

#102-(inlet)

2.5" inlet x 1.5" outlet 1.5" waterway #103

2.5" play pipe shut off 1.5" outlet 1 3/8" waterway

#130

**900 Series Piercing Nozzle**

Can be driven with a mallet, cover up to 25' in all directions, All come with shut off and mounting hardware.

90° Nozzle #906K

Battering ram w/2' Extension #910K





# Blue Devil Rylstatic



- Better FOG effect
- Ease of Maintenance
- Less friction loss through the nozzle
- No spinning teeth
- Reach increased in straight stream position
- Smaller water droplets

**95-200 gpm 2.5" #I218201**

**30-150 gpm 1.5" #I218884**

**5-50 gpm 1" #I217637**



# K3 FIRE

COMPACT UHP SOLUTIONS

## TURBOPIERCE



Quickly pierce vehicles, concrete block walls, steel, or any known construction material and get UHP water into hard to reach fires without adding oxygen. The gun is complete and ready to operate with no additional components. Simply connect directly to an existing UHP skid. The compact tool easily fits in any truck cabinet and includes a durable custom case. Gun magazine holds the abrasive and is easily refillable in the field.

- An abrasive waterjet piercing gun for ultra-high-pressure (UHP) firefighting
- Consists of a handheld gun, refillable abrasive magazine and custom case
- No electronics or wireless devices
- Button for instant on/off abrasive
- Mixing takes place at the end of the gun barrel and does not require abrasive to be “pushed”, as a highspeed wear element, through any hose or extremity
- Abrasive material is housed in a quick-change magazine. The magazine is integral to the gun shoulder-stock
- Covered by a free five year warranty

Dimensions 45.5 x 11 x 2.6 inches

Weight 15 lbs (with loaded abrasive magazine)

Requirements 10 - 20 GPM Water Input 1200 - 2000 PSI Water Input

Contact **Great Plains Fire** to schedule a demonstration.



[www.GreatPlainsFire.com](http://www.GreatPlainsFire.com)



# K3 FIRE

COMPACT UHP SOLUTIONS



Due to its advanced drive-train, **DIRECTDrive** is hundreds of pounds lighter, much smaller and more efficient than other systems in its class. That means a bigger variety of vehicle options and plenty of power.

*Stainless steel pump house and panel - nothing to rust*

*Solid state, water resistant electronics - no mechanical relays to fail or corrode*

*Advanced helical gearbox for a quieter run and more efficient transfer of power*

*Compressed air blowout & antifreeze winterization / storage ports*

*Designed with maintenance in mind - all filters are easy to see and reach*

22 HP engine with electric start Manual and Auto throttle selection system

Electric rewind reel with 3/4" UHP hose and quick connect couplers

Foam Proportioning system (0.5, 1.5, 2, 3, 6% selections)

Electronic water and foam level gauges, low water and foam flashing indicators with low water audible alarm

Auto water & auto foam tank fill systems

Full LED pump panel light bar, VMUX electronics, resettable circuit breakers and all connectors are IP 67 rated for water resistance

Gives you 16 times the water surface area for quicker fire knock down.

Droplets are lighter and have longer hang-time. More heat is effectively absorbed per gallon of water used- truck water will last 6 times longer.

Droplets are just light enough to follow the fire flow path & get drawn right into the flames. No need to get as close to the actual fire.


90-95% of the water is used in the fire, meaning less water damage and carcinogen laden water run-off.

Great way to get out ahead of the green technology movement.

A 3/4" UHP line is far more maneuverable for car fires or weaving through brush and trees on wildland scenes. Easy to get in & around room and content fires.

Lighter line & lower flow rate lend themselves better to limited staffing & quick attack.

# PYRO



## 20gpm skids for Wildland, Fast Attack or First Response Vehicles

**MORE EFFECTIVE.** Ultra High Pressure (UHP) breaks down a standard water pressure droplet to 64 micro droplets using a pressure of up to 1400psi. This creates 12 times the surface area to capture more heat energy. Resulting in 90% of the water used efficiently to put out the fire. Conventional droplets are too large to be effective, only the very outside layer is effective, up to 85- 90% of the water goes right through the fire and ends up as runoff. Takeout far more fire with far less water!

**SAFER.** Smaller, lighter droplets have better 'hang-time'. Droplets will suspend longer in the upper thermal layers, reducing heat in the most dangerous part of the fire. These droplets are light enough to be drawn into the flowpath of the fire sending suppression to where it is needed most. These micro droplets will get into every nook and cranny of a vehicle or house helping to extinguish fires that aren't immediately visible.

**FASTER.** More efficient use of the water allows a fire department to be effective with far less water enabling them to reduce the size of the vehicle needed. A smaller vehicle is far more mobile and can get to the fire much quicker. These vehicles can also get closer to the fire itself. The PyroBlitz system has 200' of charged line, further reducing the deployment time needed at the fire scene. With fires burning 8 times faster these days it is even more critical to get on the scene and flowing water faster.

# Call For Custom Quote



[www.GreatPlainsFire.com](http://www.GreatPlainsFire.com)






**CET 60 CFM  
CAFS Optimum**  
Gas Powered

Diesel Powered



**CET 35 CFM  
CAFS Optimum**  
Gas Powered

Diesel Powered



**CET 30hp Kohler  
High Volume Pump**  
700gpm

*Great for tanker or  
dry hydrant  
applications*

**CET 18hp Vanguard  
300 gpm**

*Most Popular Pump*

**CET 20hp Honda  
300 gpm**



**CET 11hp Honda Pump**  
265 gpm

*Great for Skid Units*

**CET 9hp Honda Pump**  
200 gpm



**CET 13hp Floating Pump**  
400 gpm

*The most GPM you will  
find*




**Waterous PB18-3030-C**  
Standard 3" NPT fittings  
400 gpm (wrap around frame  
available)



**ACCEPT ONLY THE BEST**

**CET 11hp Honda  
High Pressure Pump**

**CET 20hp Honda  
High Pressure pump**





### Hale HPX200-B23

Vanguard 23hp  
225 gpm  
175 Max PSI

### Hale HPX 75-B18

Vanguard Briggs 18hp  
135 gpm  
350 Max PSI



Don't see the pump to fit your needs?  
call:  
**Great Plains Fire**  
We will find it for you




### Darley 2BE13V

Vanguard 13hp  
300 gpm

### Darley 2BE18V

Vanguard 18hp  
375 gpm



### Darley Davey 9hp

Honda 9hp  
120 gpm

### Darley Davey 10hp

Yanmar 10hp Diesel  
120 gpm



### Foam Pro TurboStream

13hp, 8gpm, 1400 psi, high  
pressure pump  
w/foam capabilities

*Great for Wildland*





### Salvage Tarps, Hall Runners, & Debris Carriers—18oz vinyl

Hall Runner

3'x18' #HR3x18

Salvage Tarp

9'x12' #HTV-9x12

12'x14' #HTV-12x14

12'x18' #HTV-12x18

14'x18' #HTV-14x18

20'x20' #HTV-20x20

2 Man Debris Carrier 10oz Canvas w/handles

6' x6' #DC-OD-6x6




### RIT Staging Mat

10' x 10' 18oz PVC Mat

Each Corner is Marked RIT

#RIT-1010



### Full/Empty Staging Tarp

6' x 10' 18oz Vinyl Mat

Excellent on Scene Visual of SCBA Cylinders  
Ribbed Mat for Anti Bottle Rolling Available  
Ribbed Width 9"

6'x10" #F/E-T6x10

6' x 10' Ribbed #F/E-T6x10R



### Emergency Equipment Staging Mat

Full Scene Staging Consists of RIT Section, Rescue/Tool  
Section, and SCBA/Bottle Section (Ribbed)

Can be Used as One Complete Tarp or Individually

18oz Vinyl

Small Scene 6' x10' #EESM-SS

Large Scene 10' x 12' #EESM-LS



### Triage Tarps

Four Tarps (Red, Yellow, Green, Black) 10oz Vinyl  
10' x 12' With Bag

#TT-1012



**Universal Spanner Wrench**  
**#USW7501A**



**Folding Spanner Wrench**

**#PSW74Z01Z**




**Kochek Hydrant Hammer**

**#K03-H**



**Double Spanner Wrench Bracket w/Wrenches**  
**#WH76201A**  
**Double Bracket Only**  
**#W7601-2**



**Adjustable Hydrant Wrench**  
**#AHW7001X**

**4 Storz Spanner w/ Bracket**  
**#KS34**  
**Double End Wrench Only**  
**#KS3**



**Triple Bracket w/ 2 Spanner Wrenches & 1 Hydrant Wrench**  
**#WH76301A**  
**Triple Bracket Only**  
**#WH7601A**  
**Replacement Clip**  
**#WH76-1**



**Rubber Mallet**

**32 oz. Hickory Handle #RMH**

**32 oz. Fiberglass Handle #RMFG**



**Zak Tool Hydrant Wrench**  
**Ratcheting Hydrant Wrench**

**#ZT79**



**Sledge Hammer    Fiberglass Handles**

**8# SH08**

**10# SH10**

**12# SH12**

**16# SH16**

**20# SH20**



**Bolt Cutter**

**14" BC14**


**18" BC18**

**24" BC24**

**36" BC36**

**42" BC42**

**48" BC48**



**Kochek #39 Skipper Spanner Wrench**

**#BOST2**



**Kochek Double Head Spanner Hydrant wrench**

**#K05**



**Kochek Storz Hydrant wrench**

**#K08**





Drywall Hook

### Fiberglass Handle Pike Poles by FlameFighter

Choose from drywall style, regular (closet) hook, or trash hook

Oversized D-Handle for ease of use with gloves

D-Handle lined up with poke head 90 degrees offset available

1.25" OD w/.91 ID makes these one of the sturdiest in the industry. 35% thicker

**Pike Poles over 10' will be 2 piece for shipping**



Trash Hook

	3'	4'	6'	8'	10'	12'	14'
Pike Pole #PP(length)	X	X	X	X	X	X	X
Pike Pole w/D-Handle #PP(length)D	X	X	X	X	X	X	X
Drywall Hook w/D-Handle #DWH(length)D	X	X	X	X	X	X	
Trash Hook w/D-Handle #TH(length)D	X	X	X	X	X	X	




Fire Rake  
#FR




McLeod Tool  
#MT




Fire Flapper  
#FF



Pulaski Axe  
#PUL



6lb. Pick Head Axe  
#PHA6R6LB




6lb. Flat Head Axe  
#FHA6R6LB



Round Point Shovel

27" D Handle  
#RPS-27D

48" Handle  
#RPS-48



Square Point Shovel

27" D Handle  
#SQP-27D

48" Handle  
#BQP-48



44" Fiberglass Handle

#LSS-44

27" Handle  
#LSS-27D



Fire Broom

#FB



### Build-A-Pole

Salvage kit includes: dry-wall hook, Squeegee, Square nose shovel, Push broom, (2) 4" Extension handles with grips, (1) 4" Extension

**#BPSALVAGEKIT**

Roof kit includes: 3' pike head, 3' Rubbish hook, 3' D-Handle, 4' Extension

**#BPROOFKIT**

Carry Bag (-Bag)

### Pinch Point Bars

24" #PB24

36" #PB36

51" #PB51

60" #PB60



**Zak Tool Halligan Bar Knurled Handle**  
Heat treated 41-40 alloy end welded to make it virtually one piece 36" long.

**#ZT302-36**



Lifetime Warranty

## SuperVac Direct Drive Valor Fans



18" : the most popular size PPV – perfect combination of size and power

20" : capable of handling larger jobs – great for departments with larger residential structures

Valor Series: The latest frame from Super Vac featuring a patent pending aluminum frame design that is simple and intuitive. Features a true full roll cage, 15% lighter than previous designs, 5 position tilt via a quick step pad, ability to easily attach duct makes the Valor one of the most versatile fans on the market – available in 18" & 20" – Stream Shaper Guard comes Standard

18" 160 cc #V18 GB

20" 160 cc #V20 GB

18" Electric #V18 EV

20" Electric #V20 EV



**SUPER VAC**  
THE VENTILATION SPECIALISTS

**ALL FAN PRICES INCLUDE FREIGHT**

Please call **Great Plains Fire** if you do not see the SuperVac fan for your department needs.



### 1-Carbide-Tipped Chain:

Converts select battery-powered chain saws into a light-duty firefighting saw capable of cutting through asphalt shingles, hurricane glass, roofing materials and more; easily sharpens with diamond equipment

### 2-Modified Bar:

Allows the wider chain gauge to operate with added room, putting less strain on the saw for repeat use; the bar is slotted to work with Super Vac's Quick Silver depth gauge

### 3-Quick Silver Depth Gauge:

Prevents the blade from cutting too deep during roof ventilation

SV789-16





**SUPER VAC**

THE VENTILATION SPECIALISTS



**Milwaukee**

## Super Vac 18" Variable Speed Battery Fan



**DEWALT**  
**FLEXVOLT**

1. Compact, Roll-Cage Frame: Features a tough yet lightweight aluminum frame to protect key components while providing a compact, lightweight design.
2. 180-Degree Tilt: Provides the largest tilt range among battery fans, allowing airflow to be directed virtually anywhere.
3. DeWalt FLEXVOLT or the Milwaukee Lithium Ion Batteries: Provide up to 45 minutes of max airflow, depending on battery selection. Also, the shore power option allows you to run off of 120v AC for unlimited use.
4. Polymer Blade: Minimizes weight; Super Vac's single-piece cast aluminum blade is available by request.
5. Precision-Spun Steel Shroud with StreamShaper Guard: Shroud provides durability with max airflow, while the StreamShaper guard allows for flexible setback; Air Cone Guard available by request.

### DeWalt models

**V18-BD-09-AC-SP**

### Milwaukee models

**V18-BL-08-AC-SP**

# GENESIS

## RESCUE SYSTEMS

# E FORCE

**Genesis E Force tools use common Milwaukee lithium ion batteries**

### **Our Most Popular**



**E Force C236 Cutter**  
7.9" Blade Opening  
236,000lbs Max Cutting Force



**E Force 21/36 Ram**  
35.8" Opened Length  
24,953lbs Max Spreading Force



**E Force S 45 Spreader**  
24.6" Spreading Distance  
29,674lbs Max Spreading Force

**Call *Great Plains Fire* today to schedule your demo and experience the performance of the Genesis Rescue tools. All Genesis tools are third party tested and NFPA compliant.**

***Ask for the performance cut sheets!***

Genesis has a wide variety of tools to fit your departments needs. Visit their website to see all they have to offer

**[www.genesisrescue.com](http://www.genesisrescue.com)**



### **Genesis "BRUTE" 17c Combi Tool**

Are you looking for a rapid deployment tool for vehicle extrication and RIT. The "BRUTE" 17c is simply the best for this application. Weighing in at only 47.4 lbs. and having a spreading distance of 16" and a max spreading force of 160,055 lbs. makes it best in class. Not to mention the "BRUTE" has a max cutting force of 115,965 lbs. This NFPA compliant tool will give you many uses. Call *Great Plains Fire* today to set up a demonstration.





### Genesis Motor Vehicle Crash Kit


Includes: HRS Hood Tool, 911 Battery Cable Cutter, Pro Hack Saw & Blades, Spring Window Punch, V-Knife Belt/Wire Cutter, ART Glass Removal Tool, ProShield Rescue Blanket, 6 Piece Hand Tool Set.

#ART97000

### Deluxe Spring Punch #ART.345.100.1



### Quick-Crib Slide Chock #ART.317.015.2 per 1



### Quik-Kut Glass Tool #ART50012 Replacement Blade #ART50015



### Genesis Quik-Kut Air Hammer Kit #ART89501

Genesis Quik-Kut Air Hammer &  
Impact Kit  
#ART89502

## Genesis Kodiak Stabilization Strut Kit



### Strut Kit

Includes:  
2-Kodiak struts  
2-15" extensions  
2-30" extensions  
2-Ratchets w/J-Hook  
2-Crosshead end fittings  
1-Carry Case  
#ART.500.100.1

### Deluxe Strut Kit

Includes:  
2-Kodiak Struts  
2-15" extensions  
2-30" extensions  
4-Ratchets w/J-Hook  
2-Crosshead end fittings  
1-Carry Case  
#ART.500.102.2

### Tri-Strut Kit

Includes:  
3-Kodiak Struts  
3-15" extensions  
3-30" extensions  
4-Ratchets w/J-Hook  
3-Crosshead end Fittings  
1-Carry Case  
#ART.500.103.3

### Genesis Kodiak Kit Lifting Device



THE KODIAK LIFTING DEVICES ARE DESIGNED TO EASILY ATTACH TO YOUR EXISTING KODIAK STRUTS WITHIN SECONDS TO GIVE RESCUE PERSONNEL LIFTING CAPACITY

ART.500.600.KLD



GIRBAU INC.®



## E Series Washer Extractor

Designed to drive down water, electrical and gas costs while improving productivity, E-Series High-Performance Washer-Extractors deliver high-speed extract, an easy-to-install freestanding design, unmatched durability and the ultimate in programmability! E-Series commercial washers deliver more performance using less labor, natural resources and chemicals. The E-Series front-load washer is available in 20- to 255-pound capacity models.

**Call for Pricing**



## Groves EX22 Washer Extractor



- Front load design
- Commercial quality construction
- 22 lbs. capacity
- Automatic soap dispenser compatible
- Utilizes standard plumbing hook ups
- Requires only 120v ac
- Easy to use, preprogrammed wash cycles

**#EW-22**

**Optional auto soap dispenser #ADS-SEK0-1 PUMP**



## Groves FH2G PPE Dryer



- Industry leading 10 year warranty
- 900 CFM
- Dry gear in an average of 3 hours
- Dry turnout gear, hose, dive suits and more
- (3) 500 Watt heating elements totaling 1,500 Watts
- Includes: (4) hangers and (3) shelves
- 120v ac

**#FH2G**





#### EXT RESCUE 4011

The Most Dependable Rescue Safety Glove Available.

Features:

- SuperFabric® material for ISEA Level 5 Cut Resistance Palm
- TP-X® Palm Reinforcement on Palm Utilizes Highest Level of Abrasion Resistance While Maintaining Oil-Resistant Grip
- IR-X® Full Impact (Smash Guards) Exoskeleton
- Printed PVC Synthetic Leather Palm Provides Reliable Grip in Dry and Light Oil Conditions
- Breathable Airprene Velcro Cuff

Sizes S-XXL

#### EXT RESCUE 4013

Rescue Gloves That Are as Vigilant as the First Responders Wearing Them.

- SuperFabric® material for ISEA Level 5 Cut Resistance Palm
- TP-X® Palm Reinforcement on Palm Utilizes Highest Level of Abrasion Resistance While Maintaining Oil-Resistant Grip
- Superior Back-of-Hand Impact Protection Designed to Dissipate Forceful Blows Over a Large Area
- SlipFit® and Anti-Debris cuff Assists a Quick On and Off

Sizes S-XXL



#### EXT RESCUE 4014

Everything a First Responder Needs to Stay Safe While Saving Lives

- SuperFabric® material for ISEA Level 5 Cut Resistance Palm
- TP-X® Palm Reinforcement on Palm Utilizes Highest Level of Abrasion Resistance
- Hipora® Barrier That Meets ASTM and OSHA Fluid/Blood Borne (will not pull out)
- SlipFit® Cuff With Velcro Closure
- Back-of-Hand Impact Protection

Sizes S-XXL





## Gladiator Extrication Gloves

- Carbon fiber knuckle guard
- Very flexible finger guards on back
- Velcro snugger enhances dexterity
- Pro-Tex outer layer provides level 5 cut protection for the whole hand
- Spectra lining offers level 4 cut protection and easy donning wet or dry
- Stretchable fabric provides better dexterity and less hand fatigue
- Comfort debris cuff on all models

#FX-54MB (moisture barrier)  
Sizes XXS-4XL

## Spider Extrication Gloves

- Durable spandex back for a tighter fit providing excellent dexterity
- Protective rubber backing on all fingers
- Elastic snugger for a secure fit
- Entire palm lined with Pro-Tex fabric for cut level 5 protection
- Debris cuff for extra protection
- Spectra liner provides cut level 4 protection and easy donning and doffing

#FX-66  
Sizes XXS-4XL



## Warrior Extrication Gloves

- Highly dexterous, long wearing glove
- Synthetic leather palm with wear patches on figure tips and palm area
- Flexible finger guards on the back
- Comfortable and rugged knuckle guard
- Moisture barrier is standard
- Spectra lining offers level 4 cut protection and easy donning wet or dry

#FX-95MB  
Sizes XXS-4XL



# The Flame Glove



- The first non-leather glove certified all fabric glove certified to NFPA 1971-2018
- The Flame glove withstands 60+ washes which is more common now as the result of cancer mitigation protocols
- The exterior shell of this glove is Kevlar fabric
- The Kevlar fabric on the palm has been treated with a special formulation of silicone to resist wear of the fabric and to provide a secure, firm grip, wet or dry
- The lining of the glove includes multiple layers of Kevlar and Nomex
- The moisture barrier is Porelle FR and will outlast the useful life of the glove and is guaranteed not to pull out



**#FC-1000-(size)**

***Sizes XXS to 3XL***



### Lion American Legend

SMC helmet shell with black Nomex® flannel ear covers, 3M™ Scotchlite™ Reflective Material solid lime-yellow trapezoids, headband cushioned with foam and covered with black knit Nomex, and carved brass eagle 6" front/shield holder. QuickClean™ feature



### Lion American Classic

RTM helmet shell with black Nomex flannel ear covers, 3M Scotchlite Reflective Material solid lime-yellow trapezoids, headband cushioned with foam and covered with black knit Nomex, and carved brass eagle 6" front/shield holder.



### Lion American Heritage

LeatherGlas™ helmet shell with black Nomex® flannel ear covers, 3M™ Scotchlite™ Reflective Material solid lime-yellow trapezoids, headband cushioned with foam and covered with leather, and carved brass eagle 6" front/shield holder.



### Lion Legacy 5

RTM helmet shell, impact cap, yellow Nomex® flannel ear covers, 3M™ Scotchlite™ Reflective Material 1" x 4" solid lime-yellow bars, headband cushioned with foam and covered with black knit Nomex.



### Flared Long Bib Hoods

Black Carbon #HD-C6-FL  
White 100% Nomex #HD-NMX100-FL  
White Nomex Blend #HD-NMXBL-FL  
Yellow P84 #HD-P84-FL



**FireCraft®** Safety Products

### The Phoenix Structure Glove

Dexterity, Durability, and Grip.

*Better Fit by Design*

Superior Dexterity (no bunching at the finger tip or palm)

Longer Wear with Fas-Dri Leather

Porelle FR Moisture Barrier

True 3D Style Glove

Sizes XXS-4XL



*All FireCraft Gloves have a Life-time Warranty on Workmanship and Material*

#FC-P5000



### The FireGrip Structure Glove





Great Dexterity, Porelle FR moisture barrier, TPP exceeds 60, Cow hide leather. Sizes XXS-3XL.

FC-P4000





# INNOTEX GRAY HOOD



- Shields vulnerable area between helmet & coat while maintaining air permeability.
- A 3 layer system: The exterior layer is a 20%/80% Nomex/Lenzing blend. The middle layer, a proprietary version of Stedair® PREVENT, blocks more than 99% of particulates ranging from 0.1 to 1.0 microns. The inner liner is a smooth, cooling multi-filament viscose.
- Allows for air permeation, which is essential to reduce the risk of increased core temperature.
- Uses a particulate blocking layer that reduces the risk of contamination by particulates 0.1 to 1.0 microns ( $\mu\text{m}$ ) found in the combustion of structural fires by >99%.

**#Gray25-ML**  
**#Gray25-XL**



# INNOTEX ENERGY™

Welcome to the  
newest technology  
in turn-out gear



## Airflow™ (Patent Pending)

Airflow™ (Patent Pending) is a three-dimensional padding system that cushions the SCBA while creating Airflow™ channels.

Built with heavy-duty mesh and precisely shaped, closed-cell foam, the Airflow™ channels manage perspiration while eliminating the sealed-envelope effect area when wearing an SCBA.



## Coat features

Ergo design for greater mobility  
Variable height collar, transition from 4" back to 3" front  
NO-GAP™ liner attachment  
Airflow™ three dimensional padding system  
Reflective piping at the seams  
Dual metabolic zones  
NO-BULK™ front closer  
"Full Motion" NoSeam™  
Segmented trim  
Angled cuffs

NO-GAP™ liner attachment  
NO-BULK™ front closer  
Reflective piping at the seams  
Dual metabolic zones  
Segmented trim  
EMK knee

Dual color armor shell gold/black  
Crosstech® moisture barrier  
Chambray pure thermal liner coat and pants  
w/ standard attachments, pockets, lettering,  
and trim.



**Call for Demonstration and Pricing**



[www.GreatPlainsFire.com](http://www.GreatPlainsFire.com)



DUAL CERTIFIED: • NFPA 1951 • NFPA 1977

Outer Shell: SIGMATM 7 oz, available in khaki or black

- ENERGY turnout gear DNA (unique patented features)
- Delivers greater comfort and ease of movement with a fitted cut, full-motion no seam shoulder, complete-motion crotch.
- Field-proven durability
- Lightweight first-responder package
- Available from Small to 7XL

Personalization of coat available

Contact **Great Plains Fire** for features and to set up a demonstration.

RDG-10



## Coat standard features and options

Westex® DH, RipTwill Hydropel™ 7.5 oz, Single color, Dual color, Stedair® XLB, Inspection port, Removable hood, Removable sleeveless polar fleece vest (100% Nomex® FR), Removable long-sleeve polar fleece vest (100% Nomex® FR), Thermoplastic zipper inside / Hook & loop outside, 3M™ Scotchlite™ plain trim, 3M™ Scotchlite™ triple trim, 3M™ Scotchlite™ segmented triple trim, Basic trim pattern, NY trim pattern, Hi-viz CSA-Z96 trim pattern, Hi-viz ANSI 107 trim pattern, Low-profile pockets with built-in hand warmer, Semi-bellow pockets, Full-bellow pockets, Pocket reinforcement (outershell, Kevlar or Aramid), Mic loop & radio pocket with flap, Open internal pocket, Hand-warmer pockets with Nomex® FR polar fleece, Internal medical glove pocket, External medical glove pocket, Large external utility Napoleon Pocket, Small internal utility Napoleon Pocket, Open low-profile bellow pocket for stethoscope, Flashlight holder, Clips & D-ring, Elbow reinforcement (outershell, Aramid), Elbow padding: 1 or 2-layer felt padding or 1 or 2-layer closed-cell foam padding

## Pants standard features and options

Westex® DH, RipTwill Hydropel™ 7.5 oz, Single color, Stedair XLB, Inspection port, Lateral inset pockets, Back inset pockets with flaps, Slim fit bellow pockets, Low-profile bellow pockets, Full-bellow pockets, Pocket reinforcement (outershell, Kevlar or Aramid), Internal medical glove pocket, External medical glove pocket, External multi-tool pocket, 3M™ Scotchlite™ plain trim, 3M™ Scotchlite™ triple trim, 3M™ Scotchlite™ segmented triple trim, NFPA trim pattern, Hi-viz trim pattern, Hi-viz (ANSI 107 & class 3 CSA Z96) trim pattern, Belt loops & 2" Nomex® belt, External harness loop, Zippered leg, Durahem™ leg hems, Inseam guard, H-back suspenders, Knee reinforcement (outershell), Knee reinforcement (Aramid), 2-layer felt knee padding, 1-layer closed-cell foam knee padding, 2-layer closed-cell foam knee padding, Side zipper opening with adjustment tab





### STRUCTURE BOOTS

**MENS RKD0087 // 14" //SIZES M/W/XW 5-16**

**WOMANS RKD0092 // 14" //SIZES M/W/XW 5-10**

NFPA 1971 Compliant

ASTM F2413 Protective Toe Standard

ASTM F2413 Electrical Hazard Standard

ASTM F2413 Puncture Plate Standard

Stedfast Thermal Barrier and Waterproofing

Vibram® Fire and Ice Compound Outsole

Bloodborne Pathogen Resistant

Fire Resistant Leather Upper

Terra Suspension Removable Footbed

Sidewall Stitch Construction

Reflective Highlights

Fiberglass Shank

### WILDLAND/RESCUE BOOTS

**MENS RKD0086 // 8" //SIZES M/W/XW 5-16**

**WOMANS RKD0091 // 8" //SIZES M/W/XW 5-10**

Speed Lace & Eyelet Lacing System

NFPA 1977 Compliant

NFPA 1999 Compliant

ASTM F2413 Protective Toe Standard

ASTM F2413 Electrical Hazard Standard

ASTM F2413 Puncture Plate Standard

Stedfast Thermal Barrier and Waterproofing

Vibram® Fire and Ice Compound Outsole

Bloodborne Pathogen Resistant

Fire Resistant Leather Upper

Terra Suspension Removable Footbed

Sidewall Stitch Construction

Fiberglass Shank

Optional Lace In Zipper







### **Black Diamond X2-Boot**

Exclusive 3point Heel Lock System,  
CROSSTECH™ Fabric with Omaha  
Lining, Padded Shin Guard Multi  
Layer Orthotic Foot Bed System  
with Flex Sole

**#0912-X2-boot-(size)**



### **Black Diamond Rubber Boot**

The Black Diamond Comfort Fit Form used to construct these boots has been designed for maximum comfort and accurate fit.

**#9451-(size)**





### LXFB60



Premium Turnout Gear Bag; Luggage Style w/ Wheels, Rigid Sides, Reinforced Bottom & Retractable Handle

Available colors: Black, Red and Pink

#LXFB60WD-Color

### LXFB10



- Dual zippers on all pockets with nylon pull tabs, zip the full length of the bag

- Separate helmet compartment will hold traditional style fire helmet



- Two personal/accessory pockets

Available in Black and Red

#LXFB10-(color)

### LXFB10DC



- Made with heavy-duty nylon
- Deep woods camo to match your hunting gear
- Separate compartments for gear, helmet, mask, gloves and jumpsuit or change of clothes
- Water-resistant bottom and lower edge protects against wear and tear
- Includes padded adjustable shoulder strap with reflective stitching and FIRE FIGHTER weave

### LXFGS



Value Nylon Webbing Strap for Structural Fire Gloves; Velcro w/ Snap Hook Attachment  
Colors: Red, Black, and Pink

#LXFGS-color



### LXFGS-HD

Premium Heavy-Duty Universal Glove Clip – Attaches to Cuff of Any Glove – Black w/ Triple Trim Reflective & Alligator Clip  
#LXFGS-HD





### LXMB50-SKD



This kit includes the following supplies: Deluxe Kit, Tweezers, Kelly Hemostats, Trauma Sheers, Bandage Sheers, Penlight, Am Ampules, Band-Aids (100), 4" x 4" Gauze Pads (50), 2" Roll Gauze (2), 3" Roll Gauze (2), 4" Roll Gauze (2), 2" Self-Adherent Bandage (2), 2" Elastic Ace Bandage (2), 5" x 7" ABD Pad (2), 8" x 10" ABD Pad (2), 1" Roll Cloth Tape, 2" Roll Cloth Tape, Iodine Wipes (10), Isopropyl Alcohol Wipes (10), Triple Antibiotic Ointment 1/2 oz, Instant Cold Packs (2), Eye Pads (2), Triangle Bandage (2), Eye Wash, Exam Gloves (4), Universal SAM Finger Splint, Glucose, Sting Pads (10), Adult BP Cuff, Sprague Steth, Barrier Mask, OPA Kit, (6) 10" x 30" Trauma Dressing, NC Tubing (2), NRB Mask (2), BVM Bag, 4-1/4" x 36" Roll Splint, 4" x 4" Occl Seal, Adjustable C-Collar, 2oz Burn Spray, 2oz First Aid Spray, Emergency Blanket, Quick Stop Hemostatic Blood Stop Spray, Buckle Tournqt, Iodine Wipes (10), (4) Color Coded Removable Pouches w/ Clear Vinyl Window & Zipper – all arranged nicely and packaged together in a box for you to customize to your liking. Limited lifetime warranty from Lightning X Products.

Colors Blue Red Orange  
LXMB50-SKD-Color

### LXMB30-SKC-Color



THE KIT: This kit includes the following supplies: Deluxe Kit, Tweezers, Kelly Hemostats, Trauma Sheers, Bandage Sheers, Penlight, Am Ampules, Band-Aids (100), 4" x 4" Gauze Pads (50), 2" Roll Gauze (2), 3" Roll Gauze (2), 4" Roll Gauze (2), 2" Self-Adherent Bandage (2), 2" Elastic Ace Bandage (2), 5" x 7" ABD Pad (2), 8" x 10" ABD Pad (2), 1" Roll Cloth Tape, 2" Roll Cloth Tape, Iodine Wipes (10), Isopropyl Alcohol Wipes (10), Triple Antibiotic Ointment 1/2 oz, Instant Cold Packs (2), Eye Pads (2), Triangle Bandage (2), Eye Wash, Exam Gloves (4), Universal SAM Finger Splint, Glucose, Sting Pads (10), Adult BP Cuff, Sprague Steth, Barrier Mask, OPA Kit, (6) 10" x 30" Trauma Dressing, NCTubing (2), NRB Mask (2), BVM Bag, 4-1/4" x 36" Roll Splint, 4" x 4" Occl Seal, Adjustable C-Collar, 2oz Burn Spray, 2oz First Aid Spray, Emergency Blanket, Quick Stop Hemostatic Blood Stop Spray, Buckle Tournqt, Iodine Wipes (10), all arranged nicely and packaged together in a box for you to customize to your liking. Limited lifetime warranty from Lightning X Products.

COLOR: Black, Navy Blue, Orange, Purple, Red

#LXMB30-SKC-color

### LXMB20-SKB



Fill kit included with the following supplies: Standard Kit: Tweezers, Kelly Hemostats, Trauma Sheers, Bandage Sheers, Penlight, Ammonia Ampules (10), Band-Aids (100), 4" x 4" Gauze Pads (50), 2" Roll Gauze (2), 3" Roll Gauze (2), 4" Roll Gauze (2), 2" Self-Adherent Bandage (2), 2" Elastic Ace Bandage (2), 5" x 7" ABD Pad (2), 8" x 10" ABD Pad (2), 1" Roll Cloth Tape, Iodine Wipes (10), Isopropyl Alcohol Wipes (10), Triple Antibiotic Ointment 1/2 oz, Instant Cold Packs (2), Eye Pads (2), Triangle Bandage (2), Eye Wash Irrigation Solution, Exam Gloves (4), Universal SAM Finger Splint, Oral Glucose Gel, Sting & Bite Relief Pads (9), Adult Blood Pressure Cuff w/ Case, Sprague Stethoscope, CPR Mask, Oropharyngeal Airway Kit (6), Iodine Wipes (10), Sting Relief Swabs (10)

#LXMB20-SKB- Color

Colors: Black, Fluorescent Yellow, Navy Blue, Orange, Pink, Purple, Red


# LIFEVAC



**LifeVac is intended to be used after all choking rescue protocols have failed and is currently implemented in fire departments, police departments, and EMS agencies across the US and internationally. Current BLS protocols all revolve around generating pressure underneath the object obstructing the airway. What differentiates LifeVac is that it implements noninvasive suction from the mouth of the choking victim.**

**LifeVac uses a patented design that involves a one-way valve system which means that when applied, LifeVac vents air OUTSIDE the unit and does not push air into the victim. The rescue device simply uses a short burst of suction, with minimal air volume, to mimic a forceful cough. When the handle of the plunger is pushed down, air escapes out the sides of the valve and not into the victim's airway; when the plunger handle is pulled back, it generates negative pressure, and suctions out the lodged material.**

**Suction equipment is a vital part of emergency care and many states have already built this into their rescue protocols. Supported by a growing number of peer-reviewed medical studies and expert opinions that validate LifeVac as a safe and effective device for airway clearance, we strongly believe that LifeVac is an essential piece of gear that can assist lay people and first responders in choking-related emergencies.**





# HANG-DRY®

DRYING GEAR & SUITS OF ANY KIND



**Hang-Dry® is built out of strong plastic and has a 12ft cord. The Hang-Dry® is built to support around 100 lbs and the handle is used for transporting convenience. The plastic tubular shape forces the air through the suit with pressure. The fan is built out of die-cast aluminum housing and the impeller is steel that is directly welded onto the rotor. The fan is also built with a ball bearing. The fan motor's output is 250.1 cfms. Hang-Dry® comes with a 5-year warranty, which is activated on date of purchase.**

## **Cleaning your Gear/Suit**

Here's How:

1. Rinse off all dirt, debris, and mold in warm water until soaked.
2. Use soft cloth and soft soap like baby soap to remove all leftovers dirt, debris, and mold.
3. Wash off all soap thoroughly and repeat steps 1, 2, and 3 if necessary.
4. Hang Gear/Suit on Hang-Dry until Gear/Suit is dry to your liking, avoid Hanging in direct sun light or in a high humidity area. Direct sun light jeopardizes the integrity of the materials and makes the Gear/Suit unsafe.
5. Check to see if the manufactures of your Gear/Suit require you to follow up with some type of conditioning, and properly store to prevent mold from returning.
6. Dry off with the Hang-Dry® after every use.

## **Tips**

1. Clean entire leather item to ensure an even color and texture result.
2. When using anything other than a specialized leather cleaner, do a spot test and allow it to dry prior to cleaning the entire item.
3. Always follow manufacturer's instructions when using a cleaner specifically for leather.
4. Never use detergent to clean leather.
5. If home methods do not work, contact a professional leather cleaner in your area.

Run Hang-Dry® as long as you need to, you will not hurt it



### RIT FIRE BELT



- This simple design allows for pre-rigged egress systems
- Integrates into gear with belt loops
- Affordable option for certified Escape belt

#A1124

### LOW ANGLE RESCUE/HAUL KIT



- 150' 7/16 Blue Water ProTac Rope
- 1-ISC D4/5 descender
- 1-ISC Heavy duty pulley. Aluminum with Bushing 50 kn
- 2-ISC Steel Ladder Hook, twist lock gate 40 KN
- 2-9' Anchor Strap
- 2- 15' 1.25" nylon webbing
- 1 Chicago carry bag
- 2-ISC Steel Carabiner, twist lock gate 50 KN
- 1-ISC Rope Grab

#A1512

### FDTN RIT ENTRY BAG



- Designed by Jim McCormick of FDTN
- Lightweight and compact design
- Holds one hour bottle, regulator and face mask
- Separate color coded channels for high and low pressure lines

#A1171

### Carabiners



- Oval-Offset-Ladder-Steel-Aluminum
- Screw-Auto Twist- Triple locking
- Individual serial numbered available
- Several color options available

**CALL FOR PRICING ON CARABINERS**

