

## 2026 Product Catalog

*Committed to serving the men  
and women who serve their  
communities as Firefighters and  
First Responders*



# GREAT PLAINS FIRE

**...when quality of service counts**

### **Management and Sales**

**Philip Isaacson**

**Phone:** 218.770.8669

**E-mail:** philisaacson@greatplainsfire.com

### **Sales Eastern MN and Metro**

**Adam Zimmerman**

**Phone:** 507.458.3161

**E-mail:** adamzimmerman@greatplainsfire.com

### **Sales NW MN, ND, SD**

**John Nienaber**

**Phone:** 320.460.0520

**E-mail:** johnnienaber@greatplainsfire.com

### **Mobile Service**

**Tony Carlson**

**Phone:** 320.815.1991

**E-mail:** tonycarlson@greatplainsfire.com



# ALEXIS

**Great Plains Fire** is your Alexis Fire apparatus dealer for North Dakota, most of Minnesota and parts of Wisconsin.

Contact **Great Plains Fire** for available stock units.

- Ladders & Platforms
- Custom & Commercial Pumpers
- Custom Enclosed Top Mount Pumpers
- Custom & Commercial Tankers
- Custom & Commercial Rescues
- Wildland & Urban Interface Pumpers





Choose your options. Make it yours.

# Equalizer Series Pumper



## STANDARD FEATURES:

- Heavy Duty 14 gauge 304, #4 finish stainless steel body with 26" deep compartments
- Stainless Steel Sub frame
- ROM Roll Up Doors
- 650, 750, 1000, or 1250 Gallon Poly Tank
- 1250-1500 GPM Pump (Hale, Waterous, or Darley)
- Top Mount or Side Control Pump operator's panel
- Two (2) 2 ½" Discharges, one (1) each side
- Two (2) 3" Discharges, one (1) rear and one (1) deck gun over pump
- Two (2) 1 ½" Crosslay preconnect module, behind chassis cab
- One (1) 2 ½" Gated Suction, left side
- Ladder storage through tank with rear access
- Hypalon Hose bed and preconnect covers
- One (1) AFE stainless steel top access ladder, rear mounted
- Whelen or Code 3 LED Warning Light Package
- Whelen or Code 3 Electronic Siren with 100-watt speaker
- Diamond Grade Chevron pattern striping, rear

## AVAILABLE OPTIONS:

- 1500 GPM Pump
- 1250 GPM PTO Pump
- Heated Pump Enclosure
- Foam System
- Front Suction
- Right Side LDH Discharge
- Bumper Pre-connect
- Booster Reel
- Front Turret (available on PTO Application or Mobile Pump option)
- Wheel Well Air Bottle Compartments
- Shelves and trays in compartments
- HIVIZ LED Scene Lighting
- 120 Volt Electrical System (Hydraulic or Portable Generator)
- Varying Preconnect Options
- Painted Roll Up Doors







# GREAT PLAINS FIRE


...when quality of service counts

CUSTOM BUILT APPARATUS



MN DNR surplus units can be transformed into highly functional apparatus for all fire departments and save you money.

Contact the MN DNR surplus officer and your **Great Plains FIRE** representative today to help you get your next apparatus in your hall.



[www.GreatPlainsFire.com](http://www.GreatPlainsFire.com)





## GREAT PLAINS FIRE

Will custom build for your department many different configurations of:

- ATV's and slide in units
- Brush trucks and skid units
- Quick Attacks
- Rescues
- Tankers
- Pumper Tankers

Contact us today to help you with your next apparatus.





**Great Plains Fire** is your dealer for Pre-Owned apparatus through Fire Truck Resource.

Visit [www.greatplainsfire.com](http://www.greatplainsfire.com) or [www.firetruckresource.com](http://www.firetruckresource.com) to view available apparatus.

- Ladders & Platforms
- Custom & Commercial Pumpers
- Custom & Commercial Tankers
- Custom & Commercial Rescues
- Wildland Type Units



Call **Great Plains Fire** to help you find your next Pre-Owned Apparatus




**Great Plains Fire** is your dealer for Pre-Owned apparatus through Jon's Mid America.

Visit [www.greatplainsfire.com](http://www.greatplainsfire.com) or [www.jonsmidamerica.com](http://www.jonsmidamerica.com) to view available apparatus.

- Ladders & Platforms
- Custom & Commercial Pumpers
- Custom & Commercial Tankers
- Custom & Commercial Rescues
- Wildland Type Units



*Pre-owned units, and pricing subject to availability*



[www.GreatPlainsFire.com](http://www.GreatPlainsFire.com)





# GREAT PLAINS FIRE

...when quality of service counts

## Mobile Services:

### Apparatus Pump Service

Pump transmission filter removed, cleaned and transmission oil changed (oil included)  
Clean relief valve and screen  
Inspect and lube all suction valves  
Inspect and lube all discharge valves  
Inspect, clean, and lube all drain valves  
Adjust pump packing  
Fill primer oil (oil included)  
Cycle primer to check for proper volume  
Inspect all suction and discharge valves for proper seal

**\*oil and labor included in price**

Drain pump to check proper operation of tank to pump valve  
Check proper operation of tank refill valve  
Check proper operation of pump re-circulation valve  
Inspect water and/or foam level gauge and lights  
Inspect all panel and warning lights for proper operation  
Inspect all chassis and panel gauges  
Engage pump and insure proper operation  
Insure transfer valve proper operation  
Insure discharge and vacuum gauges work properly  
Insure relief valve and flush valve work properly  
Inspect pump packing after operation

---

### ISO Pump Test

ISO three-stage pump test and capacity test

Written service documentation provided

---

### Rescue Tool Service

Change oil on power unit (oil included)  
Clean tools  
Lube tool pivots  
Inspect system for leaks

Inspect hoses for wear  
Insure proper working pressure  
Written service documentation provided

---

## Other Services Offered:



Portable Pump Service & Repair, Quarterly Truck Inspections  
Onsite & Offsite pump rebuilds, Onsite Valve Repair, Tank Replacement,  
Foam System Repair & Installation, CAFS Installations, Apparatus Refurbishment,  
Chassis Replacement, DOT Inspections






### Newton 10" Quick Dump

Flip gate dump with manual handle  
Plunger style dump with manual handle




### Newton 10" Dump Extension

KD Stainless Steel Swivel  
36" telescopic chute for 6012SW



### FRC Man Saver Bars

Padded bars with length from 16" to 36"



### FRC Tank Level Gauges

Tank Vision Water Gauge

#WLA300-A00

Remote Water Gauge

#WLA300-B00

Cab Mini Water Gauge

#WLA205-A00

Tank Vision Foam Gauge

#WLA360-A00




## SCENEdots.... A Rear That Wants To Be SEEN

SCENEdot is a patented material that easily creates a reflective area on most any surface of a fire apparatus. There is the original reflective material or the new 3M diamond grade with sealed edges to fill your apparatus needs. Each one comes in a slick sheet format for easier installation. It takes 2 1/2 sheets to cover 1 square foot.

Diamond Grade SCENEdot

Ask **Great Plains Fire** today about installation and pricing for your apparatus.



### Kusmaul Products

Kusmaul Pump Plus 1000 Kit

#51-21-1100

Kusmaul Pump Plus 1000 Super Kit

#51-23-1204

Kusmaul Auto Charge 1000 Kit

#51-02-1204

Kusmaul Auto Charge Super Kit

#51-03-1204

Kusmaul Air Eject

#091-28

Kusmaul 120v 20 Amp Plug

#5-20P-H

Kusmaul Cover


#091-3(color)

Kusmaul Super Model

#091-55(color)

Kusmaul Super 20 Auto Eject

#091-55-20-120



www.GreatPlainsFire.com






### SCBA Brackets

Assembled Bracket 5.25" diameter **#15251**  
 Assembled Bracket 6.1-6.75" diameter **#16751**  
 Assembled Bracket 7.25" diameter **#17251**  
 One size fits all - with NFPA compliant strap **#14000**



### Mounting Plates


4" and 5" Storz **#MF507**  
 1.5" male **#MM1501**  
 1.5" female **#MF1501**  
 2.5" male **#MM2501**  
 2.5" female **#MF2501**  
 4" male **#MM401**  
 4" female **#MF401**  
 4.5" male **#MM4501**  
 4.5" female **#MF4501**  
 5" male **#MM501**  
 5" female **#MF501**  
 6" male **#MM601**  
 6" female **#MF601**



**Standard Wheel Chock 8"x8.5"x12" #SWC**  
 (Orange) HWC  
 Vertical Storage Bracket **#VSB**  
 Horizontal Storage Bracket **#WSB**



**Horizontal Pike Pole Bracket #FBP58Z01C**  
**Vertical Pike Pole Bracket #SMP59Z01C**  
**Pike Pole Ring #PR61Z01C**



**Pinch Point Bar Brackets**  
**#CHR55Z01C**



**Chrome Horizontal Axe Holder**  
**Blade Bracket #ZAH5101C**  
**Handle Bracket #ZSMA5201C**



Tired of leaving your tools strewn about, risking safety of passersby and fast degradation of quality? **PAC Tool Mounting Systems** is the answer! **PAC Tool Mounting Systems** have a mount for all your needs from universal to tool specific mounting systems.  
 Visit [www.pactoolmounts.com](http://www.pactoolmounts.com) for complete product line



**PN 1003HD Tool Lock**



**PN 1070 Jumbo Lock**



**PN 1004 Handle Lock**

*Great for Horizontal  
Tool Storage*



**PN 1002HD & PN1002-SHD**  
Flex Mount



**SOLD IN PAIRS**

**PN 1001 Hook Locks**

*Versatile Hanger or  
Friction Lock*



**PN 1009 Tool Hanger**



**K5050L Super**  
Adjustamount Kit

*Great for Nozzles*





### Duo Safety 2 Section Ladders

Series 1000-A, 2 3/4" channel rail 750 lb. duty rated, prong feet as standard, rubber safety shoes optional for hard surface use.

10' closed length 7' 2.25" x 18.5" wide x 4.56" thick **#1000-A-10**

12' closed length 8' 2.25" x 18.5" wide x 4.56" thick **#1000-A-12**

14' closed length 9' 2.25" x 18.5" wide x 4.56" thick **#1000-A-14**

16' closed length 9' 11.5" x 18.5" wide x 4.56" thick **#1000-A-16**

Series 900-A, 3 1/4" channel rail 750 lb. duty rated, prong feet as standard, rubber safety shoes optional for hard surface use.

20' closed length 12' 2.75" x 21.75" wide x 5.375" thick **#900-A-20**

24' closed length 14' 2.75" x 21.75" wide x 5.375" thick **#900-A-24**

Series 1200-A, 3 3/4" channel rail 750 lb. duty rated, prong feet as standard, rubber safety shoes optional for hard surface use.

28' closed length 16' 3.25" x 24" wide x 6.5" thick **#1200-A-28**

30' closed length 18' 3.25" x 24" wide x 6.5" thick **#1200-A-30**

35' closed length 20' 3.25" x 24" wide x 6.5" thick **#1200-A-35**

### Duo Safety 3 Section Ladders

Series 925-A, 3 1/4" channel rail 750 lb. duty rated, prong feet as standard, rubber safety shoes optional for hard surface use.

22' closed length 10' 8.75" x 24" wide x 7.625" thick **#925-A-22**

26' closed length 11' 8.75" x 24" wide x 7.625" thick **#925-A-26**

Series 1225-A, 3 3/4" channel rail 750 lb. duty rated, prong feet as standard, rubber safety shoes optional for hard surface use.

28' closed length 12' 11" x 24" wide x 9.125" thick **#1225-A-28**

30' closed length 13' 3" x 24" wide x 9.125" thick **#1225-A-30**

35' closed length 15' 3" x 24" wide x 9.125" thick **#1225-A-35**

Series 1525-A with poles, 5" channel rail 750 lb. duty rated, prong feet as standard, rubber safety shoes optional for hard surface use.

40' closed length 16' 10" x 26.5" wide x 9.8" thick **#1525-A-40**



## DUO SAFETY LADDER CORPORATION

*"Use A Good Ladder Or Stay On The Ground"*

Call **Great Plains Fire** if you do not see the Duo Safety ladder you need. Custom sizes available



### Duo Safety Roof ladders

Channel rail construction, 750 lb. duty rating

10' **#775-A-10**

12' **#775-A-12**

14' **#775-A-14**

16' **#875-A-16**

18' **#875-A-18**

20' **#875-A-20**

25' **#1275-A-25**



### Duo Safety Folding Attic Ladder

300 lb. duty rated

8' **#585-A-8 \$195.00**

9' **#585-A-9 \$219.00**

10' **#585-A-10 \$232.00**

12' **#585-A-12 \$257.00**

14' **#585-A-14 \$270.00**



### Duo Safety 2 Section Fiberglass Ladders

4 1/2" channel rails, 750 lb. duty rated, special self extinguishing resin will not support flame, special ultra-violet screen for fade resistance, safety yellow, all fiberglass ladders are non-conductive for 110 volt single phase service with a maximum of 30,000 volts.

All 2 section ladders 23" wide x 7" thick

16' (closed length 10' .5") **#YGE-2-16**

20' (closed length 12' 3.5") **#YGE-2-20**

24' (closed length 14' 3.5") **#YGE-2-24**

28' (closed length 16' 3.5") **#YGE-2-28**

30' (closed length 17' 10.5") **#YGE-2-30**

35' (closed length 20' 3.5") **#YGE-2-35**

### Duo Safety 3 Section Fiberglass Ladders

All 3 section ladders 26.5" wide x 9.5" thick

28' (closed length 12' 11.5") **#YGE-3-28**

30' (closed length 13' 3.5") **#YGE-3-30**

35' (closed length 15' 3.5") **#YGE-3-35**



### Skull Saver Ladder Pads

23"h x 9"w

**#SSA100-A23**

25"h x 10"w

**#SSA100-A25**

27"h x 12"w

**#SSA100-A27**



### Duo Safety Combination Jack Knife Ladder

Versatile ladder that doubles as an A frame step ladder and a rugged single ladder. Equipped with famous Duo Safety ladder shoes. 750lb duty rated

4'-8' **#35-B-4-8**

6'-12' **#35-B-6-12**

7'-14' **#35-B-7-14**

8'-16' **#35-B-8-16**



[www.GreatPlainsFire.com](http://www.GreatPlainsFire.com)



## Smart Sequential Road Flares

RDS™ (Rapid Deployment System): Automatically turns on flare when removed from the case

Tilt sensor automatically directs light output to optimize driver awareness

"Pair" mode system allows for single or multiple sets to be synchronized

4 flash patterns to choose from (2 sequential, 1 simultaneous, 1 steady-burn)

Preferred pattern, deployment order, and gravity activation mode settings are saved into memory for next deployment

Automatic synchronization of flares; No programming, no pre-numbering; turn and deploy; That Easy!

Powered by Lithium-ion rechargeable battery (1500 fully depleted charge cycles)

20+ hour runtime (flash pattern dependent)

6 hour recharge time from a completely depleted battery

Charge all flares at once (using dual purpose carrying case)

Kit includes: Carrying/Charging Case, DC 12/24V Vehicle Plug, AC 110/240V Wall Plug, 2 Year Warranty

Generation-2 flare - 22,600 kg (50,000 lbs) of crush strength.

IP66 Water and Dust Proof Rating



## Smart Med-Evac Landing Zone Kit

RDS™ (Rapid Deployment System): Automatically turns on flare when removed from the case

Standard Configuration includes 12 High-Power Infrared LEDs, 4 High-Power Visible Green LEDs

Powered by Lithium-Ion Rechargeable Battery

20+ Hour of runtime (continued flash)

6 hour recharge time from a completely dead battery

30,000 lbs (13,600 kg) crush strength (lab tested and certified)

IP67 water and dust rating

Purchase include: Carrying/Charging case, 5 Radio-Connected LZ Flares, 5 Ballasted Range Extender Bases, DC 12/24V Vehicle Plug, 110/240V Wall plug



# WHELEN®

## ENGINEERING COMPANY INC

Call **Great Plains Fire** today to custom build a lightbar for your department!

**Whelen Justice WC**



50" all red LED light bar with 8 LED modules - Fully populated to colors of your choosing, -Mounting hardware included  
#JY8RRRR

**Whelen TAM63**



LED 6 head arrow stick with control head  
#TAM63

**Responder LP Duo Mini Lightbar**

6 Duo LEDs - Red, Blue, or Amber



#R1LPM(color)

**Justice Mini Lightbar**

4 Corner LEDs - Red, Blue, or Amber



#MJY(color)M

**Whelen Power Control Center**

Switch box with 6  
25 AMP switches  
#PCC6W




**Whelen LED surface lights.**  
All sizes includes chrome bezel.  
Colors: Red, Blue, Amber

60\*02F\*R

70\*02F\*R

90\*\*5F\*R



**Whelen M Series LED surface lights.**  
All sizes includes chrome bezel.  
Colors: Red, Blue, Amber

M4(color)

M6(color)

M7(color)

M9(color)



**Whelen Gamma Control**

Siren control with 2  
light circuit switches  
#GAMMA2



**Whelen Hands Free Siren Controls**



#295SLSA1

**Whelen L31 LED Beacon**

Colors: Red,  
Blue, Amber  
#L31H(color)F



**Whelen LIN3 LED Surface mount light**  
with chrome bezel  
#RS(color)02CZR




**Whelen Composite Speaker**  
#SA315P

Whelen Universal Mount



**Whelen Roto-Beam Super LED**  
"Rotating" LED Beacon  
#R416(color)F



**Whelen ION V3 Series w/ puddle light option** with chrome bezel  
#IONS3V3(color)C




**Whelen Projector Series**  
Natural Aluminum Finish  
#SA314A



[www.whelen.com](http://www.whelen.com)

[www.GreatPlainsFire.com](http://www.GreatPlainsFire.com)





## Federal Signal Allegiant Serial



Low profile, Linear shaped LED light bar.  
45" fully populated red/white warning lights.  
With takedown, alley lights, white flood, amber  
signal master and interface module.

**ALGT45J-F2HMC**

## Federal Signal Latitude Signal Master



Available in 6 or 8 head models. Solaris LED  
reflector technology. Includes the economy  
Signal Master controller. Mounts not included

6 Head **SL6S-A**

8 Head **SL8S-A**

## Federal Signal HighLighter LED Plus



Low profile with uniform 360 degree light  
distribution. Solaris LED reflector technology.  
2.7" tall x 15" long permanent mount. Color  
combinations available.

All red **HL10PC-R**

## Federal Signal Q-Siren



Pedestal mount

**Q2B-012PSD**

Recessed mount

**Q2B-012NNSD**

## Federal Signal Siren Controller



PA 300 compact electronic siren **690000**

## Federal Signal FireRay & QuadraFlare



FireRay LED warning  
lights with a chrome  
bezel. Colors red,  
blue or amber.

4x3

**FR4-color**

6x4

**FR6-color**

7x3

**FR7-color**

9x7

**FR9-color**



QuadraFlare LED  
warning lights with a  
chrome bezel. Colors  
red, blue or amber.

4x3

**QL43-color**

6x4

**QL64-color**

7x3

**QL73-color**

9x7

**QL97-color**

Call **Great Plains Fire**  
for more Federal  
Signal products.  
We can get you what  
you need.

## Federal Signal Siren Speakers



DynaMax/ES100C with  
bracket **ES100C**



BP Series with stainless "F"  
grille **BP200-EF**

## Federal Signal MicroPulse Ultra 3



**MPS31U-color**

## Federal Signal Pro LED Beacon



**300TMP-color**



**XSTREAM** single head light blue/  
red/white cigarette plug.  
**XSM1C-BRW-US**



# WHELEN®

## ENGINEERING COMPANY INC



WHELEN Pioneer & Pioneer Plus Series Spotlights, Floodlights, and combination Spot/Flood

Injection molded polycarbonate optics lenses are hard-coated to minimize environmental damage

Die-cast and aluminum powder coated

Color temperatures reach 6,000° Kelvin , simulating bright midday light

5 year warranty

Pioneer floodlight single lamp 3,700 lumen output, dual 7,400 lumen output

Pioneer Plus floodlight single lamp 8,100 lumen output, dual 16,000

Available in brown mount, recess mount, universal mount, and pole mount

Spot/ Flood combination lights available also

Please contact **Great Plains Fire** for configuration pricing



### Pioneer Nano™

Available in 3 or 6 diode models

8° spotlight pattern comes standard

Includes additional 40° x 20° flood lens

Optic lens changes easily via four screws in picture frame fixture

Powder coated stainless steel bail

Nano 3 diode #NP3BW

Nano 6 diode #NP6BW



### Pioneer Micro™


8° spotlight pattern comes standard

Includes three additional lenses for light patterns of flood, wide flood, horizontal flood.

Optic lens changes easily via four screws in picture frame fixture

Built-in nylon screw grommets eliminate galvanic corrosion

Pricing based off of universal mount, other mounts available #MPBW



[www.GreatPlainsFire.com](http://www.GreatPlainsFire.com)






**SOBRITE**  
7000 Lumen LED light  
Compact design  
12 Volt 5 amps  
CD Base Mounting  
#SRA110-07A

**FRC Evolution II**  
12V LED Scene Light

Push Up  
#FCA530-V11  
#FCA530-V20  
Pull Up  
#FCA542-V11  
#FCA542-V20  
Top Mount  
#FCA570-V11  
#FCA570-V20



**FRC Spectra 900**  
LED scene lights  
12 volt 4,600 lumens  
#SPA902-Q65

Chrome bezel and surface mount



**FRC Firefly**  
surface mount LED  
compartment light.  
LED110-Q01

**FRC Spectra**

120V AC, 20K Lumen Lamp Head,  
SPA100-K20  
12V DC, 20K Lumen Lamp Head,  
SPA100-Q20  
120V AC, 20K Lumen, Push Up  
SPA530-K20  
12V DC, 20K Lumen, Push Up,  
SPA530-Q20  
120V AC, 20K Lumen, Pull Up  
SPA510E-K20  
12V DC, 20K Lumen, Pull Up  
SPA510E-Q20  
120V AC, 20K Lumen, 3" Sq. Top Mount  
SPA510-K20  
12V DC, 20K Lumen, 3" Sq. Top Mount  
SPA510-Q20  
120V AC, 20K Lumen, Tri-Pod  
SPA600-K20



**FRC**  
FIRE RESEARCH CORP.



**FRC Spectra LED Portable Light**  
120v AC, 20,000 lumens.

SPAKR700-K20-ON



**ROM Stand alone light strips**  
Mounting Options  
• 3M dual sided tape  
• Pre-Punched Slots  
• Adjustable Mounting  
Brackets  
#R03000-(size)

6"	42"	72"
12"	48"	78"
18"	54"	84"
24"	60"	90"
30"	66"	96"
36"		

**R.O.M.**  
CORPORATION

*Excellence made to order.*



**Akron 12V LED Extenda-Lite® Scene Lights**

19,000 Lumens  
#ELSS-XLDC Lamp Head

#ELSS-XLDC-PS-SM2 Push Up

#ELSS-XLDC-PU-SM2 Pull Up

#ELSS-XLDC-PU-TM Top Mount





#### Rechargeable LED Area Light Kit

- 1,000 lumens on high brightness mode, 500 on low
- Includes 6' tripod, AC / DC power supplies and carrying case
- Rechargeable Li-ion battery
- Multi-angle tilt and swivel design with magnetic base
- Constructed from lightweight 6061-T6 aluminum

**NSR-1514C**

#### INTRANT™ Intrinsically Safe Dual-Light™ Angle Light



- CREE LED technology – 50,000+ hours LED life
- 8 User-selectable brightness settings for the Flashlight and Floodlight including a 20 Lumen Survival Mode
- Dual-light (both the flashlight & floodlight on at the same time) provides for maximum lighting versatility and user safety
- 3 AA batteries (included)
- Upgradeable to rechargeable by adding Lithium-ion Battery Pack, Charger and AC and/or DC Power Supply
- Limited Lifetime Warranty

**XPP-5566RX**



#### Tactical Fire Light w/ Mult-Angle Helmet Mount

- 180 Lumens
- 3 Hours run-time
- Momentary or constant-on
- Can be mounted to virtually all Fire Helmets and Hard Hats
- 140 Degrees of adjustability
- Meets the requirements of NFPA-1971-8.6 (2013)

**FDL-300R-K01**



#### Intrinsically Safe Dual Light Lantern-Rechargeable

- 210 Lumen flashlight for 12 hours
- Flashlight/Floodlight/Dual-Light™
- User-selectable brightness settings on Flashlight & Floodlight with 30 Lumen Survival mode
- cULus, ATEX, and IECEx certified Intrinsically Safe
- Meets the requirements for NFPA-1971-8.6 (2013)
- Charger meets requirements of NFPA-1901 (2009)

**XPR-5580R**



#### Helmet-mounted Multi-Function Dual Light Flashlight

- Flashlight / Floodlight / Dual-Light™
- User-selectable brightness on Flashlight & Floodlight including 15 Lumen Survival mode on Floodlight
- Works with virtually all fire helmets and hard hats
- Meets the requirements for NFPA-1971-8.6 (2013)

**NSP-4650B**



#### Safety Light/ Flashlight Combo Kit

- Has both a tight-beam long-throw flashlight and a wide-angle two colored flashing safety light array
- Lighting modes: momentary and constant-on flashlight, full-power constant-on white floodlight, flashing amber safety light & dual-light (both the flashlight & floodlight or flashing safety light array at the same time)
- Two button design top: flashlight, bottom: floodlight/safety light
- Powered by 4 AA batteries (included)
- Kit includes one heavy weighted magnetic base and one red safety cone

**NSP-1170-K01**





**Fortem Helmet Mount Light**

**XPP-5466R**

- Intrinsically safe helmet mount dual light
- Flash light flood light dual light
- 250 lumens
- 45 degree angle flood light
- Rear facing green safety LED light
- Works with virtually all helmets
- Meets requirement of NFPA 1971-8.6 2013



**Forge Helmet Mounted Light**

- Two models to choose from with the same features
- Single push button on used easily with gloved hand
- 360 lumens on high mode
- Rear facing green light

Intrinsically safe model **XPP-5465R**

Standard model **NSP-4640B**



**Integritas intrinsically safe rechargeable lantern**


**XPR-5582RX**

- LED technology with a multi position tilting head
- 1750 lumens with 5 hour run time and low beam capable
- Rear facing green safety lights
- Low battery indicator and shoulder strap
- Locking snap charger
- Integrated lithium-ion rechargeable battery
- Light meets NFPA-1971-8.6 2013
- Charger meets NFPA-1901-14.1 10.2 2016



**Intrinsically safe flash light with multi angle mount**

**XPP-5418RX-K01**



**Aluminum mini tac flash light**

- 100 lumens
- Two AAA batteries

**MT-100BL**

**MT-100R**



**DUAL SWITCH DESIGN**  
FLOODLIGHT HIGH MEDIUM SURVIVAL STROBE  
SPOTLIGHT LOW MEDIUM HIGH



RECHARGEABLE

**XPR-5586GX**

- 10 run time on either flood or flash light mode
- 900 lumen dual light mode
- Intrinsically safe
- Dual red LED tail lights for safety
- cULus certified
- IP- 67 dustproof/ Waterproof
- Meets NFPA-1971-8.6 2013
- Charger meets NFPA-1901-14.1.10.2



**Intrinsically Safe Dual Light Lantern-Rechargeable**

- 1100 Lumen flashlight
- Flashlight/Floodlight/Dual-Light™
- cULus, ATEX, and IECEx certified Intrinsically Safe
- Meets the requirements for NFPA-1971-8.6 (2013)
- Charger meets requirements of NFPA-1901 (2009)

**XPR-5581RX**



# argus®

thermal imaging from Avon Protection



## MI-TIC-E-1

### INTRODUCTION

The Mi-TIC E is the world's smallest high resolution thermal imager for fire fighting applications. The camera provides a crystal clear image with dynamic range up to 760°C (1400°F) and at the same time see very low temperature objects, which is ideal for casualty searches. Every Mi-TIC E is supplied with a unique dual use desk-top/in-truck charger station which securely retains and charges both the thermal imager and a spare battery. The charger stations can be daisy-chained together, up to a maximum of 6 units.

### PERSONAL

Weighing approximately 750g (26oz) the Mi-TIC E is a small format thermal imager that can be easily and comfortably held in the palm of your hand. Unlike many thermal imagers, the Mi-TIC E design allows it to be worn in multiple ways – in the hand, inside a pocket, clipped outside a pocket, clipped to a lanyard or hung around the neck

### MI-TIC-E-1



## MI-TIC-320-3

The Mi-TIC 320 is part of the argus range of thermal imaging cameras and is the world's smallest NFPA 1801 certified high resolution thermal imager for fire fighting applications. The camera provides a crystal clear image with a superb dynamic range: you can clearly view extremely high temperatures without whiteout, and at the same time still see very low temperature objects, which is ideal for casualty searches. Every Mi-TIC 320 is supplied with a unique dual use desk-top/in-truck charger station which securely retains and charges both the thermal imager and a spare battery. The charger stations can be daisy-chained together, up to a maximum of 6 units.

### PERSONAL

Weighing approximately 750g (26oz) the Mi-TIC 320 is a small format thermal imager that can be easily and comfortably held in the palm of your hand. Unlike many thermal imagers, the Mi-TIC 320 design allows it to be worn in multiple ways – in the hand, inside a pocket, clipped outside a pocket, clipped to a lanyard or hung around the neck.

### MI-TIC-320-3





# argus®

thermal imaging from Avon Protection

Mi-TIC<sup>S</sup>



The lightest and most affordable NFPA 1801 certified thermal imager.  
With a 3.5" display at only 1.8 lbs  
Temperature range of -40°F to 2000°F  
5 second start-up time

Standard configuration includes  
2x zoom with 3 button control  
Hot and cold spot tracker  
Laser pointer  
Video recording  
Lanyard, charger, spare battery

Standard battery 1100 MAh, 6.6 V standard capacity battery with 2 hour battery life.  
Less than 2 hour charge time  
Includes lanyard, truck charger, spare battery



MI-TIC-S-3





**Sensit P100 Personal Gas Meter** - One button operation. 2 year life before service needed. Limited 2 year warranty  
 Carbon Monoxide **#912-00000-03**  
 Hydrogen Sulfide **#912-00000-05**  
 Oxygen **#912-00000-13**  
 Hydrogen Cyanide **#912-00000-07**



**Sensit P400** is a multi gas personal monitor designed to warn the user of hazardous gases in their working environment. The P400 can be configured with 1 to 5 sensors also with or without pump


Four Gas without pump **#923-FC000-40**  
 Four Gas with pump **#925-FC000-40**

To add fifth sensor choose from the following choices:  
 C12, NO2, HCN, PH3, SO2, ETO Add to above cost **(-5X)**

Four gas calibration kit with case **#881-00084**



**Sensit HCN CO** The new Sensit HCN CO with its rugged construction and powerful rotary pump, hot air probe and bright LCD display makes it perfect for testing ambient air and hot gas samples. Infrared communication allows printing of test results to a compact printer (accessory) or PC. Simple and convenient  
**#913-FC000-12**  
 Calibration Kit **881-00058**




## SENSIT® HXG-2d

The SENSIT® HXG-2d gas detector pinpoints leaks quickly with its true digital display and electronic tick control. This multi-gas detector is ideal for natural, butane and propane gas leaks. The SENSIT® HXG-2d is safe, durable and reliable.

- Direct PPM readout
- Direct "LEL" percent readout
- Electronic tick rate control to pinpoint leaks

**#906-FC000-08**



## SENSIT® GOLD G2

The SENSIT® GOLD G2 is the most versatile and user-friendly SENSIT hand-held gas detector available. The "G2" can be configured for combustible gas readings in PPM, LEL, and /or percent volume, as well as a variety of toxic sensors and oxygen. The SENSIT® GOLD G2 is ideal for leak location and confined space applications.

- Digital "Tick" Control for fast leak pinpointing
- LED warning lights and loud audible alarm indicating potential danger
- Internal memory stores operational and calibration data
- Battery strength indicator
- Exceptional water-resistant housing

**#911-FC000-08**  
**#881-00030** (manual calibration kit)





Chemguard  
Chemattack Class  
A Foam 55 Gal  
Drum

#770173

# CHEMATTACK

5 Gallon Pail

#770172

## In-line Foam Eductor

1.5" inlet x 1.5" outlet  
¼, ½, 1, 3, 6% rates @ 125gpm



#203-125



Foam Pail Wrench

#4578-YF

Scotty Super Spanner/Foam Pail  
Wrench



#4579-YF

## Waterous Fire Troll

In line foam eductor. Great for brush  
trucks or skid units!



#83437

## Scotty Portable Foam Units

1.3 gallon jug 3, 8, 15, 30, 50, 70, or  
95gpm., 3/4" GHT and 1.5" NH swivel  
inlet.

#4075-(gpm)A

3 gpm #4075-3

8 gpm #4075-8

Variable eductor unit .5%-3%

#4075-(gpm)AV



## Scotty Forestry Back Pack

5 Gallon Back Pack #4000bp

5 Gallon Pack w/foam #4000f-bp



## Scotty "Through The Pump"

Foam eductor kit



#4072-kit

## Scotty Portable Foam Sticks



15, 30, 50 gpm 1.5" inlet  
#4010-50A

(3) 12" foam cartridges  
#4010CART12



3 gpm, 3/4" GHT  
#4010-3

(3) 6" foam cartridges  
#4010CART6

Visit [www.scottyfire.com](http://www.scottyfire.com) for videos!

## Apparatus Foam Injection Systems

**Great Plains Fire** can convert your current apparatus to have foam system capabilities with models from the top name manufacturers. Please contact **Great Plains Fire** for an estimate to convert your apparatus to a Hale, Waterous, or Foam Pro System. Call for pricing and installation.







# HUSKY

## Portable Containment



### Standard Folding Tanks

500-5000 Gallons  
All frame tanks are 29" tall  
Includes "Easy Lift" handles  
22oz vinyl wall with 28oz vinyl base.




### Skinny™ Tank

Folding frame tank with narrow design.  
It gives you more options for where you can set up your drop tank.

### Replacement Liners & Frames

Contact **Great Plains Fire** for pricing




### Easy Lift Handles

Easy lift handles come standard on all Husky drop tanks, making tear-down quick and easy!

### Quick Dump Option

Drain your tank in seconds for quick tear-down!




**Portable Drop Tank Racks** built to any size drop tank. Includes front and rear wind dam, lever lock hold downs, heavy duty hinges, and aluminum/stainless steel construction.



### Pro500 Tank Liner The Ultimate Replacement liner for your existing folding Frame Tank

- Fits in your standard tank rack and any standard frame including our Skinny Tank, which works great on one-lane backroads!
- No need to remove frame uprights with Pro500 liner
- Minimal setup— Unfold, unhook, & Go
- Bladders can be deployed and folded by just one person
- On a Slope? No Problem! Bladders will not cause Pro500 to roll over!
- Need more gallons? Deploy as many bladders as needed or use as a regular tank
- The Pro500 bladders can be custom sized. Bladders can be added and made of different sizes.





**Lightweight Flexible  
Hard Suction Hose**




2.5" NST x 10'  
4" NST x 10'  
4.5" NST x 10'  
5" NST x 10'  
6" NST x 10'  
4" Storz x 10'  
5" Storz x 10'

(Cam-lock style also available. Call **Great Plains Fire** for pricing)  
Lengths from 5'-25' available with all couplers or combinations. Call **Great Plains Fire** for your suction needs!

Call  
**Great Plains Fire**  
for more hose,  
hydrant,  
apparatus testing,  
and cleaning  
supplies!



**Hose Washer**  
Up to 3" **#39700**  
Up to 5" **#39800**



**Flamefighter Hose Tester**  
Capable of up to 1800' per  
test. Comes with built in  
hose washer wand. 2.5"  
connections with reducers  
for 1.5"

**#HT10025**


**Low Level Strainer**

Sizes 2½"-6" available  
All aluminum construction  
1½" Jet siphon on all sizes 4" and up

<b>LL25</b>	2.5"
<b>LL40</b>	4.0"
<b>LL45</b>	4.5"
<b>LL50</b>	5.0"
<b>LL60</b>	6.0"

Storz Fittings

<b>LL407</b>	4.0"
<b>LL507</b>	5.0"



**Husky Supply Line Holders**

Single **#SLB-25**

Double **#SLBD-25**



**Power Jet Siphon**

All aluminum construction  
Storz and camlock fittings available  
**#JS(size)**

4"  
4.5"  
5"  
6"



**Self Leveling  
Floating Strainer**

All aluminum construction  
Sizes 2½"-6" available

<b>FBS25</b>	2.5"
<b>FBS40</b>	4.0"
<b>FBS45</b>	4.5"
<b>FBS50</b>	5.0"
<b>FBS60</b>	6.0"

Storz Fittings

<b>FBS407</b>	4.0"
<b>FBS507</b>	5.0"



Call **Great Plains Fire** if  
you do not see the  
water supply products  
you need.

***We will find it for you!***





# KURIYAMA

## FIRE PRODUCTS



### **ARMTEX HD Attack Hose-10 year Warranty**

Double Jacket Rubber Lined

Immune to mildew and rot

1200 psi burst pressure, 400 psi service pressure

**Colors:** white, red, blue, orange, green, tan, yellow

25' 50' & 100' lengths available

**10 year Warranty**



### **Jafrib LDH-10 Year Warranty**

Synthetic, single jacket with nitrile/PVC rubber

Lining and cover, made in a single extrusion

eliminating risks of separation or blistering.

4" 700psi burst, 200psi service pressure

5" 600psi burst, 200psi service pressure

**Colors:** Red or Yellow

### **Soft Suction-10 Year Warranty**

Pricing is 5" Jafrib with 4.5" female long handle with either 4.5", 5", or 6" female long handle.



### **Forestry Hose-10 Year Warranty**

Circular woven single jacket with polyurethane liner. Immune to mildew and rot. 900psi burst, 300 psi service pressure

**Color:** White Lengths 25' 50' & 100'



### **Light Weight 1" Booster Hose**


Polyester woven jacket w/heavy duty

polyurethane liner 1500psi burst, 300psi service

pressure NST expansion coupling standard

**Color:** red only lengths 25' 50' 100' & 150'





# KURIYAMA

## FIRE PRODUCTS



### ARMTEX HP Hose

Resists burn-through for a full minute

Oversized inner jacket for increased water flow

Outstanding kink resistance

1.75" x 50' colors florescent yellow, army green, red, blue

2.5" x 50' colors blue and florescent yellow

**10 year Warranty**



### JAFLINE HD Hose

Made in the USA

Immune to mildew and rot

All weather performance: retains pliability to -40F

Double jacket construction polyester and EPDM rubber ozone lining

Coated for better durability

High burst rating: 1200 psi up to 3" diameter

Colors: yellow, red, orange, blue, tan, green and white

**10 year Warranty**



### JAFX4 Hose

Revolutionary co-extrusion technology creates a "Four layer hose in one operation" without the use of adhesives forming a homogeneous hose which cannot delaminate.

Resists burn through.

Super resistant to abrasion.

Low friction loss and high kinking resistance.

UL19 certified.

Color yellow.

**10 year Warranty**





**Double Swivel Female Rocker Lug**  
Long Handle available for 2.5" and larger  
**#35R(size x size)**

Size	1"	1.5"	2"	2.5"	3"	4"	4.5"	5"	6"
1"	X	X							
1.5"		X		X					
2"									
2.5"				X	X	X	X	X	X
3"									
4"						X	X	X	X
4.5"							X	X	X
5"								X	X
6"									X



**Double Male Rocker Lug**  
**#36R(size x size)**

Size	1"	1.5"	2"	2.5"	3"	4"	4.5"	5"	6"
.75"	X	X		X					
1"	X	X		X					
1.5"		X		X					
2"									
2.5"				X		X	X	X	X
3"									
4"						X	X	X	X
4.5"							X	X	X
5"								X	X
6"									X



**Rigid Female Rocker Lug to Male**  
Long handle available on 4" and larger  
**#37R(female x male)**

Male

Size	.75	1"	1.5"	2"	2.5"	3"	4"	4.5"	5"	6"
.75"										
1"	X									
1.5"	X	X			X					
2"										
2.5"	X	X	X				X	X	X	X
3"										
4"					X			X	X	X
4.5"					X		X		X	X
5"					X		X	X		X
6"					X		X	X	X	



**Hazmat Adapters**  
1.5" x (2) male garden hose thread  
**#40H15FGG**  
2.5" x (2) male garden hose thread  
**#40H25FGG**

**Harrington, Inc.**  
LDH System Specialists



**NH or NST** - National Hose Thread also known as National Standard Thread  
**NPT** - National Pipe Tapered  
**NPSH** - National Pipe Straight Hose  
**GHT** - Garden Hose Thread

*Combination of threads available on all fittings.*



**Rocker Lug Caps & Plugs** Chrome Finish and Long Handles Available. Call for Pricing.


#Cap(size)  
#Plug(size)

Size	1"	1.5"	2"	2.5"	3"	4"	4.5"	5"	6"	4" Strz	5" Strz
Cap	X	X		X	X	X	X	X	X	X	X
Plug	X	X		X	X						

Call **Great Plains Fire** for chrome finish pricing, and special thread requirements.

**Great Plains Fire** can get most all types of thread patterns.

Cam Lock style adapters also available.



[www.GreatPlainsFire.com](http://www.GreatPlainsFire.com)



### Storz to Female Adapters



	2.5"	4"	4.5"	5"	6"
4" storz x rigid female #S37S-(size)	X	X	X	X	X
4" storz x swivel female #S54R-(size)	X	X	X	X	X
4" storz x long handle female swivel #S54L-(size)	X	X	X	X	X
5" storz x rigid female #S37S-(size)	X	X	X	X	X
5" storz x swivel female #S54R-(size)	X	X	X	X	X
5" storz x long handle female swivel #S54L-(size)	X	X	X	X	X

### 30 Degree Storz x Female Adapter



	2.5"	4"	4.5"	5"	6"
4" Storz x Rocker lug female #SKE(size)R	X	X	X	X	X
4" Storz x Long handle female #SKE(size)L	X	X	X	X	X
5" Storz x Rocker lug female #SKE(size)R	X	X	X	X	X
5" Storz x Long handle female #SKE(size)L	X	X	X	X	X



**Akron Revolution** intake valve with 30 degree swivel elbow. Compact design to take up less pump panel space. Available in 4"-6" thread sizes and 4"-5" storz.  
#7982 10 year warranty

**Akron Revolution** intake valve with straight connection. Compact design to take up less pump panel space. Available in 4"-6" thread sizes and 4"-5" storz.  
#7983 10 year warranty



4" x 5" Storz to Storz  
Adapter  
#S60S54



Kochek Hydrant Adaptor  
4" #SZMC4045-3  
5" #S2MC5045-3



2.5" Hydrant Gate  
Valve  
#595



2.5" Hydrant Valve  
#596



2.5" x (2) 1.5" Gated  
Wye  
#520



Forestry Wye  
1" inlet x (2) 1" outlet  
#505

Call **Great Plains Fire** if you do not see the fittings or adapters to fit your needs.  
We will find it for you!

### Gear Actuated Intake Valve




4" #BV78H-40AH  
4.5" #BV78H-45AH  
5" #BV78H-50AH  
6" #BV78H-66AH





**Universal Spanner Wrench**  
**#USW7501A**



**Double Spanner Wrench**  
**Bracket w/Wrenches**  
**#WH76201A**  
**Double Bracket Only**  
**#W7601-2**



**Triple Bracket w/ 2**  
**Spanner Wrenches & 1**  
**Hydrant Wrench**  
**#WH76301A**  
**Triple Bracket Only**  
**#WH7601A**  
**Replacement Clip**  
**#WH76-1**



**Folding Spanner**  
**Wrench**

**#PSW74Z01Z**




**FlameFighter Storz Wrench #STW**



**Adjustable**  
**Hydrant**  
**Wrench**  
**#AHW7001X**


**4 Storz Spanner w/**  
**Bracket**  
**#KS34**  
**Double End Wrench**  
**Only**  
**#KS3**



**Rubber Mallet**

**32 oz. Hickory Handle #RMH**

**32 oz. Fiberglass Handle #RMFG**



**EZ-SPANNER Mini-Goat Pocket Tool**  
**#EZ-MG-100-100**



**Sledge Hammer    Fiberglass Handles**

**8#    SH08**

**16#    SH16**

**10#    SH10**

**20#    SH20**

**12#    SH12**



**Bolt Cutter**

**14" BC14**

**36" BC36**

**18" BC18**


**42" BC42**



**Universal Foam Pail Wrench**  
**#UFCW**



**Quic-Axe Super Tool**  
**#QA-15-P**



**FlameFighter Halligan Bar**

**24" #FE24**

**30" #FE30**

**36" #FE36**





Drywall Hook

### Fiberglass Handle Pike Poles by FlameFighter

Choose from drywall style, regular (closet) hook, or trash hook

Oversized D-Handle for ease of use with gloves

D-Handle lined up with pike head 90 degrees offset available


1.25" OD w/.91 ID makes these one of the sturdiest in the industry. 35% thicker

**Pike Poles over 10' will be 2 piece for shipping**



Trash Hook

	3'	4'	6'	8'	10'	12'	14'
Pike Pole #PP(length)	X	X	X	X	X	X	X
Pike Pole w/D-Handle #PP(length)D	X	X	X	X	X	X	X
Drywall Hook w/D-Handle #DWH(length)D	X	X	X	X	X	X	
Trash Hook w/D-Handle #TH(length)D	X	X	X	X	X	X	



Fire Rake  
#FR



McLeod Tool  
#MT



Fire Flapper  
#FF

Pulaski Axe  
#PUL



6lb. Pick Head Axe  
#PHAFR6LB



6lb. Flat Head Axe  
#FHAFR6LB



Round Point Shovel

27" D Handle  
#RPS-27D

48" Handle  
#RPS-48



Square Point Shovel

27" D Handle  
#SQP-27D

48" Handle  
#BQP-48



44" Fiberglass Handle

#LSS-44

27" Handle  
#LSS-27D



Fire Broom

#FB



### Build-A-Pole

Salvage kit includes: dry-wall hook, Squeegee, Square nose shovel, Push broom, (2) 4" Extension handles with grips, (1) 4" Extension

**#BPSALVAGEKIT**

Roof kit includes: 3' pike head, 3' Rubbish hook, 3' D-Handle, 4' Extension

**#BPROOFKIT**

Carry Bag (-Bag)


### Pinch Point Bars

24" #PB24

36" #PB36

51" #PB51

60" #PB60



Set of Irons #FEIS





### RIT FIRE BELT



- This simple design allows for pre-rigged egress systems
- Integrates into gear with belt loops
- Affordable option for certified Escape belt

#A1124



### LOW ANGLE RESCUE/HAUL KIT

- 150' 7/16 Blue Water ProTac Rope
- 1-ISC D4/5 descender
- 1-ISC Heavy duty pulley. Aluminum with Bushing 50 kn
- 2-ISC Steel Ladder Hook, twist lock gate 40 KN
- 2-9' Anchor Strap
- 2- 15' 1.25" nylon webbing
- 1 Chicago carry bag
- 2-ISC Steel Carabiner, twist lock gate 50 KN
- 1-ISC Rope Grab

#A1512



### FDTN RIT ENTRY BAG

- Designed by Jim McCormick of FDTN
- Lightweight and compact design
- Holds one hour bottle, regulator and face mask
- Separate color coded channels for high and low pressure lines

#A1171

### Carabiners



- Oval-Offset-Ladder-Steel-Aluminum
- Screw-Auto Twist- Triple locking
- Individual serial numbered available
- Several color options available

**CALL FOR PRICING ON CARABINERS**







#### Akron Turbo Jet Adjustable GPM Nozzle

1" #1702  
1 1/2" #1720  
2 1/2" #1733



#### Akron Ultra Jet Nozzle

The UltraJet nozzle is all-in-one, combining both smooth bore and fog patterns.  
1.5" or 2.5" #1820



#### Akron Assault Fixed GPM Nozzles

1" #4802  
1 1/2" #4824  
2 1/2" #4826



#### Akron ProVenger Nozzle

Selectable Gallonage  
1" w/o pistol grip #1602  
1 1/2" w/ pistol grip #1616  
Fixed Gallonage  
1 1/2" w/pistol grip #4116



#### Akron One Piece Stream Shaper

1 1/2" #3485  
2 1/2" #3485



#### Akron Aluminum 1" Forestry Nozzle #1030



#### Akron Mercury Monitor

It shall have a 2 1/2" inlet with a full time swivel and a 2 1/2" outlet. The monitor should weigh no more than 14 lbs less the nozzle, and have dimensional layout of 9"H x 14.5"L x 23.5W (deployed). The legs shall fold away to reduce the width down to 7.75".

#3444



#### Protek Selectable Gallonage Nozzles

1" 5-10-24-40 gpm @100psi #360  
1" 13-25-40-60 gpm @100psi #361  
1.5" 30-60-90-125 gpm @100psi #366  
1.5" 95-125-150-200 gpm @100psi #367  
1.5" 30-60-95-125-150-200 gpm @100psi #369  
2.5" 95-125-150-200-250 gpm @100psi #368



#### Protek Playpipe with Tip

2.5" selectable gallonage  
95,125,150,200,250 gpm  
@100 psi #368-TP



#### Protek Dual 2.5" Line Ground Monitor

Dual clappered inlet, 32lbs, Compact folding base  
**Complete Kit**– monitor, base, 845 nozzle, 119 stream shaper, 120 quad stacked tip, Direct mount flange w/3" NPT thread  
#622-kit



#### Protek 2.5" Single Line Ground Monitor

Small light weight (14lbs.), Folding legs w/ carbide spikes, Flows up to 500 gpm.  
**Complete Kit**– monitor, 822 nozzle, 119 stream shaper, 117 deluge tip  
#600-kit



#### Protek Smooth Bore Tips

1.5" triple stacked tips 1", 1 1/8", 1 1/4" #115  
2.5" quad stacked tips 1", 1 1/8", 1 1/4", 1 1/2" #118  
2.5" quad stacked tips 1 3/8", 1 1/2", 1 3/4", 2" #120




#### Protek Ball Shut Off

1" inlet x 1" outlet 3/4" waterway #100  
1.5" inlet x 1.5" outlet 1" waterway #101  
1.5" or 2.5" inlet x 1.5" outlet 1 3/8" waterway #102-(inlet)  
2.5" inlet x 1.5" outlet 1.5" waterway #103  
2.5" play pipe shut off 1.5" outlet 1 3/8" waterway #130



#### 900 Series Piercing Nozzle

Can be driven with a mallet, cover up to 25' in all directions, All come with shut off and mounting hardware.  
90° Nozzle #906K  
Battering ram w/2' Extension #910K





# Blue Devil Rylstatic



- Better FOG effect
- Ease of Maintenance
- Less friction loss through the nozzle
- No spinning teeth
- Reach increased in straight stream position
- Smaller water droplets

95-200 gpm 2.5" #I218201

30-150 gpm 1.5" #I218884

5-50 gpm 1" #I217637





# HEN



## THE 3C'S OF SUPPRESSION

Coverage, Cooling and Contraction

### COVERAGE

More coverage, less effort.

The HEN Bladed Pattern redefines coverage by coating walls, ceilings, floors, and filling the entire compartment. It achieves faster critical flow with less nozzle movement and saturates fuel and gas layers completely.

### COOLING

Cool faster. Protect Better.

The Bladed Pattern delivers aggressive cooling with dense, intact droplets that work through gas layers instantly. It absorbs heat rapidly and cools surfaces without secondary impacts.

### CONTRACTION

Contraction that enhances safety.

Large droplets from the Bladed Pattern fill the space and contract heated gases effectively. It reduces heat quickly, slows fire spread, and requires less effort at the nozzle.





**FIREFIGHTER  
APPROVED**




## THE ONLY LITHIUM-ION BATTERY FIRE EXTINGUISHING AGENT THAT WORKS.



FCL-X reduces toxic fluoride exposure by neutralizing harmful gases released during lithium-ion battery fires.

FCL-X is a water-based proprietary solution that extinguishes and eliminates re-ignition of lithium-ion fire.



FCL-X buffers the lithium oxidation reaction to limit heat and hydrogen generation by forming non-hazardous salts.

FCL-X is specifically designed to mitigate the complex chemical reactions caused by lithium-ion battery fires.



More Information Visit

**[www.FULLCIRCLELITHIUM.com](http://www.FULLCIRCLELITHIUM.com)**

[sales@fullcirclelithium.com](mailto:sales@fullcirclelithium.com)



[www.GreatPlainsFire.com](http://www.GreatPlainsFire.com)



# The Facts:

*FCL-X is a water-based, PFAS-free extinguishing agent specifically engineered to combat lithium-ion battery fires. Unlike traditional extinguishers, FCL-X rapidly cools, neutralizes thermal runaway, and prevents dangerous reignition—while significantly reducing toxic gas exposure. Proven effective in full-scale EV and battery storage fire scenarios, FCL-X delivers fast, safe, and reliable suppression where other agents fall short.*

	 FCL-X	Do Nothing	Water	Flame Retardants	Encapsulator	Aggregates	
Type of Agent	Watering Agent	N/A	Water	Blankets	Foam	Vermiculate	Granulates
Ease of Use	<b>A</b>	<b>A+</b>	<b>A</b>	<b>D</b>	<b>B</b>	<b>C</b>	<b>F</b>
Lithium Fire Applications	<b>A</b>	<b>F</b>	<b>D</b>	<b>F</b>	<b>D</b>	<b>D</b>	<b>D</b>
Product Hazards	<b>A</b>	<b>A+</b>	<b>A+</b>	<b>A</b>	Unknown	Unknown	<b>A</b>
Extinguishing Capability for All Fires	<b>A</b>	<b>F</b>	<b>D</b>	<b>F</b>	<b>C</b>	<b>C</b>	<b>C</b>
Heat Dissipation	<b>A+</b>	<b>F</b>	<b>B</b>	<b>F</b>	<b>B</b>	<b>B</b>	<b>B</b>
Off-Gas HF Dissipation	<b>A+</b>	<b>F</b>	<b>F</b>	<b>F</b>	<b>F</b>	<b>F</b>	<b>F</b>

**WWW.FULLCIRCLELITHIUM.COM**





## MicroCafsUSA – Skid 15

13.2 gallon skid unit with regulator for CGA347 valve.

Patented **MicroCAFS USA** technology provides 2 qualities of compressed air foam wet or dry with push of a slide bolt.

Low operating pressure with high working range for safe operation.

Typical CAFS droplet size for thick foam blankets with high extinguishing performance.

Long operation time provides maximum effectivity.

Every mixable and water storable **FOAM** agent can be used.

The unit can be easily mounted on UTV's, boats, truck compartments and many other vehicles.

### Technical data

Extinguishing capacity:

Compressed air cylinder (SCBA):

Operating pressure:

Weight: approx.:

Foam agent at 50 litres:

Discharge range:

Temperature range:

Working time Wet foam:

Flow rate approx.:

Dry foam: approx.:

Flow rate approx.:

Hose length:

50 liters / 13.2 gal

30 min. to 60 min. SCBA / 4500 psi

approx. 7 bar / 100 psi

96.5 kg / 213 lbs filled

approved foam agent, varies on type of application,  
e.g. 16 oz Class A at 1%

up to approx. 15 m / 49 feet (wet)

min. + 0°C / 32°F to max. + 60°C / 140°F

approx. 130 seconds

23 l/min (6.1 gal/min)


390 seconds

7.7 l/min (2 gal/min)

1" NH x 50' forestry hose

Dimensions:

20" x 31" x 19.5" (H x L x W)



[www.GreatPlainsFire.com](http://www.GreatPlainsFire.com)





## MicroCafsUSA - Portable 3

**Portable CAFS unit with 3 gallon stainless steel water tank.  
Regulator and mixing chamber with union nut assembly with sliding bolt for changing the foam quality to wet or dry.  
Adjustable padded shoulder strap.  
Including Regulator for CGA347.**

### Technical data

<b>Finished Foam:</b>	up to 30 gallons wet up to 60 gallons dry
<b>Operating Time:</b>	1m 30s wet 2m 39s dry
<b>Discharge Range:</b>	28 - 45 ft depending on Nozzle Type
<b>Vessel Capacity:</b>	3.00 gal stainless steel tank
<b>Operating Pressure:</b>	115 - 135 psi approx.
<b>Air Cylinder:</b>	19cf - 87cf / 2216-4500 psi SCBA 15 min. up to SCBA 60 min.
<b>Temperature:</b>	32° F - 140 ° F
<b>Weight:</b>	empty: 20 lbs filled: 45 lbs
<b>Size:</b>	27.5x11.6x8.2 in HxWxD





# K3 FIRE

COMPACT UHP SOLUTIONS

## TURBOPIERCE



Quickly pierce vehicles, concrete block walls, steel, or any known construction material and get UHP water into hard to reach fires without adding oxygen. The gun is complete and ready to operate with no additional components. Simply connect directly to an existing UHP skid. The compact tool easily fits in any truck cabinet and includes a durable custom case. Gun magazine holds the abrasive and is easily refillable in the field.


- An abrasive waterjet piercing gun for ultra-high-pressure (UHP) firefighting
- Consists of a handheld gun, refillable abrasive magazine and custom case
- No electronics or wireless devices
- Button for instant on/off abrasive
- Mixing takes place at the end of the gun barrel and does not require abrasive to be “pushed”, as a highspeed wear element, through any hose or extremity
- Abrasive material is housed in a quick-change magazine. The magazine is integral to the gun shoulder-stock
- Covered by a free five year warranty

Dimensions 45.5 x 11 x 2.6 inches

Weight 15 lbs (with loaded abrasive magazine)

Requirements 10 - 20 GPM Water Input 1200 - 2000 PSI Water Input

Contact **Great Plains Fire** to schedule a demonstration.



[www.GreatPlainsFire.com](http://www.GreatPlainsFire.com)



# K3 FIRE

COMPACT UHP SOLUTIONS

## DIRECTDRIVE

Ultra High Pressure Skid



Due to its advanced drive-train, **DIRECTDrive** is hundreds of pounds lighter, much smaller and more efficient than other systems in its class. That means a bigger variety of vehicle options and plenty of power.

*Stainless steel pump house and panel - nothing to rust*

*Solid state, water resistant electronics - no mechanical relays to fail or corrode*

*Advanced helical gearbox for a quieter run and more efficient transfer of power*

*Compressed air blowout & antifreeze winterization / storage ports*

*Designed with maintenance in mind - all filters are easy to see and reach*

22 HP engine with electric start Manual and Auto throttle selection system

Electric rewind reel with 3/4" UHP hose and quick connect couplers

Foam Proportioning system (0.5, 1.5, 2, 3, 6% selections)

Electronic water and foam level gauges, low water and foam flashing indicators with low water audible alarm

Auto water & auto foam tank fill systems

Full LED pump panel light bar, VMUX electronics, resettable circuit breakers and all connectors are IP 67 rated for water resistance

Gives you 16 times the water surface area for quicker fire knock down.

Droplets are lighter and have longer hang-time. More heat is effectively absorbed per gallon of water used- truck water will last 6 times longer.

Droplets are just light enough to follow the fire flow path & get drawn right into the flames. No need to get as close to the actual fire.

90-95% of the water is used in the fire, meaning less water damage and carcinogen laden water run-off.

Great way to get out ahead of the green technology movement.

A 3/4" UHP line is far more maneuverable for car fires or weaving through brush and trees on wildland scenes. Easy to get in & around room and content fires.

Lighter line & lower flow rate lend themselves better to limited staffing & quick attack.






**CET 60 CFM  
CAFS Optimum  
Gas Powered**

Diesel Powered



**CET 35 CFM  
CAFS Optimum  
Gas Powered**

Diesel Powered



**CET 30hp Kohler  
High Volume Pump  
700gpm**

*Great for tanker or  
dry hydrant  
applications*

**CET 18hp Vanguard  
300 gpm**

*Most Popular Pump*

**CET 20hp Honda  
300 gpm**



**CET 11hp Honda Pump  
265 gpm**

*Great for Skid Units*


**CET 9hp Honda Pump  
200 gpm**



**ACCEPT ONLY THE BEST**

**CET 11hp Honda  
High Pressure Pump**

**CET 20hp Honda  
High Pressure pump**



**CET 13hp Floating Pump  
400 gpm**

*The most GPM you will  
find*



**Waterous PB18-3030-C  
Standard 3" NPT fittings  
400 gpm (wrap around frame  
available)**







### Hale HPX200-B23


Vanguard 23hp  
225 gpm  
175 Max PSI

### Hale HPX 75-B18

Vanguard Briggs 18hp  
135 gpm  
350 Max PSI



Don't see the pump to fit your needs?  
call:  
**Great Plains Fire**  
We will find it for you




### Darley 2BE13V

Vanguard 13hp  
300 gpm

### Darley 2BE18V

Vanguard 18hp  
375 gpm




### Darley Davey 9hp

Honda 9hp  
120 gpm

### Darley Davey 10hp

Yanmar 10hp Diesel  
120 gpm



### Foam Pro TurboStream

13hp, 8gpm, 1400 psi, high  
pressure pump  
w/foam capabilities

*Great for Wildland*





### Salvage Tarps, Hall Runners, & Debris Carriers—18oz vinyl

Hall Runner

3'x18' #HR3x18

Salvage Tarp

9'x12' #HTV-9x12

12'x14' #HTV-12x14

12'x18' #HTV-12x18

14'x18' #HTV-14x18

20'x20' #HTV-20x20

2 Man Debris Carrier 10oz Canvas w/handles

6' x6' #DC-OD-6x6




### RIT Staging Mat

10' x 10' 18oz PVC Mat

Each Corner is Marked RIT

#RIT-1010



### Full/Empty Staging Tarp

6' x 10' 18oz Vinyl Mat

Excellent on Scene Visual of SCBA Cylinders

Ribbed Mat for Anti Bottle Rolling Available  
Ribbed Width 9"

6'x10' #F/E-T6x10

6' x 10' Ribbed #F/E-T6x10R



### Emergency Equipment Staging Mat

Full Scene Staging Consists of RIT Section, Rescue/Tool  
Section, and SCBA/Bottle Section (Ribbed)

Can be Used as One Complete Tarp or Individually

18oz Vinyl

Small Scene 6' x 10' #EESM-SS

Large Scene 10' x 12' #EESM-LS



### Triage Tarps

Four Tarps (Red, Yellow, Green, Black) 10oz Vinyl  
10' x 12' With Bag

#TT-1012





GIRBAU INC.®



## E Series Washer Extractor

Designed to drive down water, electrical and gas costs while improving productivity, E-Series High-Performance Washer-Extractors deliver high-speed extract, an easy-to-install freestanding design, unmatched durability and the ultimate in programmability! E-Series commercial washers deliver more performance using less labor, natural resources and chemicals. The E-Series front-load washer is available in 20- to 255-pound capacity models.

**Call for Pricing**

## Groves EX22 Washer Extractor



- Front load design
- Commercial quality construction
- 22 lbs. capacity
- Automatic soap dispenser compatible
- Utilizes standard plumbing hook ups
- Requires only 120v ac
- Easy to use, preprogrammed wash cycles

**#EW-22**

**Optional auto soap dispenser #ADS-SEK0-1 PUMP**

## Groves Vortex DC2 Drying Cabinet-2 Gear



- Programmable control and NFPA 1851 Compliant
- Gentle drying without mechanical action
- Compact design, easy installation and delivered pre-assembled
- Capacity for drying 2 sets of turnout gear or large protective garments
- Temperature tracking system with advanced control sensors
- Retractable hanging system
- Overheat protection and high energy efficiency

Included accessories: hanging rod, two Dry Kwik coat hangers, three tiers of retractable hanging racks, two ventilated shelves, door hook rack (13 hooks), and two door bars

**#VDC2**





## SuperVac Direct Drive Valor Fans

18" : the most popular size PPV – perfect combination of size and power

20" : capable of handling larger jobs – great for departments with larger residential structures

Valor Series: The latest frame from Super Vac featuring a patent pending aluminum frame design that is simple and intuitive. Features a true full roll cage, 15% lighter than previous designs, 5 position tilt via a quick step pad, ability to easily attach duct makes the Valor one of the most versatile fans on the market – available in 18" & 20" – Stream Shaper Guard comes Standard

18" 160 cc #V18 GB

20" 160 cc #V20 GB

18" Electric #V18 EV

20" Electric #V20 EV



**ALL FAN PRICES INCLUDE FREIGHT**

Please call **Great Plains Fire** if you do not see the SuperVac fan for your department needs.



### 1-Carbide-Tipped Chain:

Converts select battery-powered chain saws into a light-duty firefighting saw capable of cutting through asphalt shingles, hurricane glass, roofing materials and more; easily sharpens with diamond equipment

### 2-Modified Bar:

Allows the wider chain gauge to operate with added room, putting less strain on the saw for repeat use; the bar is slotted to work with Super Vac's Quick Silver depth gauge

### 3-Quick Silver Depth Gauge:

Prevents the blade from cutting too deep during roof ventilation

SV789-16





**SUPER VAC**  
THE VENTILATION SPECIALISTS



**Milwaukee**

## Super Vac 18" Variable Speed Battery Fan



**DEWALT**  
**FLEXVOLT**

1. Compact, Roll-Cage Frame: Features a tough yet lightweight aluminum frame to protect key components while providing a compact, lightweight design.
2. 180-Degree Tilt: Provides the largest tilt range among battery fans, allowing airflow to be directed virtually anywhere.
3. DeWalt FLEXVOLT or the Milwaukee Lithium Ion Batteries: Provide up to 45 minutes of max airflow, depending on battery selection. Also, the shore power option allows you to run off of 120v AC for unlimited use.
4. Polymer Blade: Minimizes weight; Super Vac's single-piece cast aluminum blade is available by request.
5. Precision-Spun Steel Shroud with StreamShaper Guard: Shroud provides durability with max airflow, while the StreamShaper guard allows for flexible setback; Air Cone Guard available by request.

### DeWalt models

**V18-BD-09-AC-SP**

### Milwaukee models

**V18-BL-08-AC-SP**





# GENESIS

## RESCUE SYSTEMS



# E FORCE



Genesis SLi tools are powered by Milwaukee 18 volt batteries.  
Contact Great Plains Fire today to schedule a demonstration for  
your fire department.

## Our Most Popular Tools



SC240-SLi NXT GEN  
10,000 psi  
50 lbs.  
7.4" cutting opening  
3rd Party NFPA Rating  
A8-B9-C7-D9-E9-F4  
IP 68 with battery cover



S49-SLi  
10,000 psi  
45.2 lbs.  
28.9 spreading width  
3rd Party NFPA rating  
17,086 spreading force  
IP 68 with battery cover




17C-SLi  
10,000 psi  
47.84 lbs.  
13.46 cut opening  
17.12 spread opening  
3rd Party NFPA rating  
A7-B9-C7-D9-E9-F6  
IP 68 with battery cover



22-54-SLi Telescopic Ram  
8,000 psi  
47.6 lbs.  
Stroke Stage 1/Stage 2  
16.9/14.6  
Force Stage 1/ Stage 2  
24,279/13,938 lbs.  
IP 68 with battery cover

## Discover the Genesis Features and Benefits.

- Robust Forged Blade
- Low Cost of Ownership
- Milwaukee Battery Platform
- Non-Proprietary Batteries and Chargers
- Replaceable Blade Inserts
- No Lifetime Service Contracts
- Excellent Warranty
- State Certified Factory Direct Training
- Most Ergonomic Tool Activation Trigger
- Cutter Shielded to High Voltage
- Adjustable Cutter Handles
- All Tools Third Party Tested to NFPA Standards
- Local at Your Door Service
- Loaner Tools if Yours is Down for Repair
- Superior Strength and Performance
- Local Sales Force



[www.GreatPlainsFire.com](http://www.GreatPlainsFire.com)





# GENESIS

## RESCUE SYSTEMS



# E FORCE



Genesis SL3 tools are powered by Milwaukee 28 volt batteries.  
Contact Great Plains **Fire** today to schedule a demonstration for  
your fire department.

## Our Most Popular Tools



SC240-SL3 NXT GEN  
10,000 psi  
50 lbs.  
7.4" cutting opening  
3rd Party NFPA Rating  
A8-B9-C7-D9-E9-F4



S49-SL3  
10,000 psi  
45.2 lbs.  
28.9 spreading width  
3rd Party NFPA rating  
17,086 spreading force



17C-SL3  
10,000 psi  
47.84 lbs.  
13.46 cut opening  
17.12 spread opening  
3rd Party NFPA rating  
A7-B9-C7-D9-E9-F6



22-54-SL3 Telescopic  
Ram  
8,000 psi  
47.6 lbs.  
Stroke Stage 1/Stage 2  
16.9/14.6  
Force Stage 1/ Stage 2  
24,279/13,938 lbs.

## Genesis HDS (Portable Hose Decon System)

Firefighters are exposed to toxic carcinogens from contaminated attack hose lines after every fire. The HDS Portable Hose Cleaning System is designed to efficiently remove contaminants on-site before firefighters leave the fire ground. Lightweight, battery-powered, and easy to use, it ensures a cleaner fire ground and reduces long-term cancer risks.

**Portable & Mobile** – Easy to transport and deploy.

**Single Operator Use** – No extra manpower is needed.

**Battery-Operated** – No external power required.

**Fast & Effective** – Cleans hoses in seconds.

**Reduces Carcinogen Exposure** – Scientifically tested & firefighter-approved.





# The “RESCUE” Extrication Glove

- Cut resistance performance level A7 (ANSI-ISEA 105-2016)
- Thermoplastic rubber knuckle protector
- Lifetime replacement warranty in case of liner pullouts and other manufacturing issues.
- Ballistic grade spectra® lining allows easy on/off
- “Sticky” silicone palm fabric assures positive grip
- Velcro closure strap provides secure grip
- Debris cuff keeps dirt out
- Close fitting for better safety
- Available in 16 comfortable sizes: XXS-3XL
- Style # FX-66 (regular finger length)
- Style # FX-66 Cadet (shorter fingers)





# SNUG FIT Extrication Glove

- Exceptional Protection, Comfort and Dexterity at a Budget-Conscious Price!
- Lifetime warranty against liner pullouts and other manufacturing issues.
- Hi-Vis Spandex Fabric on back
- Spectra® lining
- Vibration Pads on palm
- Rubber Knuckle Protector
- Synthetic Leather with silicone palm
- Cut resistance performance level A5 (ANSI/ISEA 105-2016)
- Velcro closure strap
- Debris Cuff
- Snug fitting for better dexterity
- Sizes: XXS-3XL
- Style # FX-25  
FX-25Cadet (for shorter fingers)





# Coming Soon!

## Leather/Fabric Gloves FireCraft® 9000



- Our top all-around structural fire glove
- Combination leather / Kevlar® construction
- Palm: Suede leather with silicone grip strip
- Back: Silicone infused Kevlar®
- Rolled leather knuckle protectors
- Rolled Kevlar® finger protectors
- Keystone thumb
- Grain leather fourchettes
- Enhanced thermal protection palm and back
- Leather pull-tab and hang-loop





#### **Lion American Legend**

SMC helmet shell with black Nomex® flannel ear covers, 3M™ Scotchlite™ Reflective Material solid lime-yellow trapezoids, headband cushioned with foam and covered with black knit Nomex, and carved brass eagle 6" front/shield



#### **Lion American Classic**

RTM helmet shell with black Nomex flannel ear covers, 3M Scotchlite Reflective Material solid lime-yellow trapezoids, headband cushioned with foam and covered with black knit Nomex, and carved brass eagle 6"



#### **Lion American Heritage**

LeatherGlas™ helmet shell with black Nomex® flannel ear covers, 3M™ Scotchlite™ Reflective Material solid lime-yellow trapezoids, headband cushioned with foam and covered with leather, and carved brass eagle 6" front/shield holder.



#### **Lion Legacy 5**

RTM helmet shell, impact cap, yellow Nomex® flannel ear covers, 3M™ Scotchlite™ Reflective Material 1" x 4" solid lime-yellow bars, headband cushioned with foam and covered with black knit Nomex.

## **FireCraft® Safety Products**

### **The Flame Glove**



- The first non-leather glove certified all fabric glove certified to NFPA 1971-2018
- The Flame glove withstands 60+ washes which is more common now as the result of cancer mitigation protocols
- The exterior shell of this glove is Kevlar fabric
- The Kevlar fabric on the palm has been treated with a special formulation of silicone to resist wear of the fabric and to provide a secure, firm grip, wet or dry
- The lining of the glove includes multiple layers of Kevlar and Nomex
- The moisture barrier is Porelle FR and will outlast the useful life of the glove and is guaranteed not to pull out



#FC-1000-(size)

**Sizes XXS to 3XL**



INNOTEX  
**GRAY**<sup>TM</sup>

# NEW PARTICULATE- BLOCKING HOOD 25 NANO

NOT MADE WITH PFAS



The new GRAY<sup>TM</sup> Hood 25 Nano – not made with PFAS – offers complete protection against toxic particulates. This light & flexible 1-layer hood features a nanofiber-based particulate barrier that stops particulates at 99.8%.

Its remarkable breathability & high thermal heat loss value ensure unbeatable comfort in any situation.



Not made  
with PFAS



Blocks more than  
99.8% of particles



Air permeable



Superior comfort



Durable



# INNOTEX ENERGY™



Welcome to the  
newest technology  
in turn-out gear



## **Airflow™ (Patent Pending)**

Airflow™ (Patent Pending) is a three-dimensional padding system that cushions the SCBA while creating Airflow™ channels.

Built with heavy-duty mesh and precisely shaped, closed-cell foam, the Airflow™ channels manage perspiration while eliminating the sealed-envelope effect area when wearing an SCBA.



## **Coat features**

Ergo design for greater mobility  
Variable height collar , transition from 4”  
back to 3” front  
NO-GAP™ liner attachment  
Airflow™ three dimensional padding system  
Reflective piping at the seams  
Dual metabolic zones  
NO-BULK™ front closer  
“Full Motion” NoSeam™  
Segmented trim  
Angled cuffs

NO-GAP™ liner attachment  
NO-BULK™ front closer  
Reflective piping at the seams  
Dual metabolic zones  
Segmented trim  
EMK knee

Dual color armor shell gold/black  
Crosstech® moisture barrier  
Chambray pure thermal liner coat and pants  
w/ standard attachments, pockets, lettering,  
and trim.

**Call for Demonstration and Pricing**



DUAL CERTIFIED: • NFPA 1951 • NFPA 1977

Outer Shell: SIGMATM 7 oz, available in khaki or black

- ENERGY turnout gear DNA (unique patented features)
- Delivers greater comfort and ease of movement with a fitted cut, full-motion no seam shoulder, complete-motion crotch.
- Field-proven durability
- Lightweight first-responder package
- Available from Small to 7XL

Personalization of coat available

Contact **Great Plains Fire** for features and to set up a demonstration.

RDG-10



## Coat standard features and options

Westex® DH, RipTwill Hydropel™ 7.5 oz, Single color, Dual color, Stedair® XLB, Inspection port, Removable hood, Removable sleeveless polar fleece vest (100% Nomex® FR), Removable long-sleeve polar fleece vest (100% Nomex® FR), Thermoplastic zipper inside / Hook & loop outside, 3M™ Scotchlite™ plain trim, 3M™ Scotchlite™ triple trim, 3M™ Scotchlite™ segmented triple trim, Basic trim pattern, NY trim pattern, Hi-viz CSA-296 trim pattern, Hi-viz ANSI 107 trim pattern, Low-profile pockets with built-in hand warmer, Semi-bellow pockets, Full-bellow pockets, Pocket reinforcement (outershell, Kevlar or Aramid), Mic loop & radio pocket with flap, Open internal pocket, Hand-warmer pockets with Nomex® FR polar fleece, Internal medical glove pocket, External medical glove pocket, Large external utility Napoleon Pocket, Small internal utility Napoleon Pocket, Open low-profile bellow pocket for stethoscope, Flashlight holder,

## Pants standard features and options

Westex® DH, RipTwill Hydropel™ 7.5 oz, Single color, Stedair XLB, Inspection port, Lateral inset pockets, Back inset pockets with flaps, Slim fit bellow pockets, Low-profile bellow pockets, Full-bellow pockets, Pocket reinforcement (outershell, Kevlar or Aramid), Internal medical glove pocket, External medical glove pocket, External multi-tool pocket, 3M™ Scotchlite™ plain trim, 3M™ Scotchlite™ triple trim, 3M™ Scotchlite™ segmented triple trim, NFPA trim pattern, Hi-viz trim pattern, Hi-viz (ANSI 107 & class 3 CSA 296) trim pattern, Belt loops & 2" Nomex® belt, External harness loop, Zippered leg, Durahem™ leg hems, Inseam guard, H-back suspenders, Knee reinforcement (outershell), Knee reinforcement (Aramid), 2-layer felt knee padding, 1-layer closed-cell foam knee padding, 2-layer closed-cell foam knee padding, Side zipper opening with adjustment tab





# INNOTEX ENERGY™



**INNO  
TEX**  
BE STRONG.  
BE SAFE.

## NEW INNOTEX ENERGY™ PRIME MULTI-FUNCTION RESCUE GEAR NOT MADE WITH PFAS

### YOUR NEW TRUSTED GEAR FOR MOST OF YOUR CALLS.

Introducing our most versatile rescue gear to date: ENERGY™ PRIME. A multi-function gear that easily adapts to take on wildfires, technical rescues, and medical emergencies, thanks to a removable moisture barrier. Designed and certified to respond to nowadays Firefighters' reality, INNOTEX® ENERGY™ PRIME is the primary gear Firefighters will wear. Every day.

INNOTEX protects firefighters with high-performance turnout gear for structural fires and rescue gear to respond to every other call. We've got their backs in every situation.



Wildland  
Fire Fighting  
**NFPA 1977**



Technical  
Rescue Incidents  
**NFPA 1951**



Emergency  
Medical Operations  
**NFPA 1999**

[www.GreatPlainsFire.com](http://www.GreatPlainsFire.com)

Like us on  
Facebook





Firefighter owned - All



## STRUCTURE BOOTS

**MENS RKD0087 // 14" //SIZES M/W/XW 5-16**

**WOMANS RKD0092 // 14" //SIZES M/W/XW 5-10**

NFPA 1971 Compliant

ASTM F2413 Protective Toe Standard

ASTM F2413 Electrical Hazard Standard

ASTM F2413 Puncture Plate Standard

Stedfast Thermal Barrier and Waterproofing

Vibram® Fire and Ice Compound Outsole

Bloodborne Pathogen Resistant

Fire Resistant Leather Upper

Terra Suspension Removable Footbed

Sidewall Stitch Construction

Reflective Highlights

Fiberglass Shank

## WILDLAND/RESCUE BOOTS

**MENS RKD0086 // 8" //SIZES M/W/XW 5-16**

**WOMANS RKD0091 // 8" //SIZES M/W/XW 5-10**

Speed Lace & Eyelet Lacing System

NFPA 1977 Compliant

NFPA 1999 Compliant

ASTM F2413 Protective Toe Standard

ASTM F2413 Electrical Hazard Standard

ASTM F2413 Puncture Plate Standard

Stedfast Thermal Barrier and Waterproofing

Vibram® Fire and Ice Compound Outsole

Bloodborne Pathogen Resistant

Fire Resistant Leather Upper

Terra Suspension Removable Footbed

Sidewall Stitch Construction

Fiberglass Shank

Optional Lace In Zipper







### **Rocky Code Red Slip-On Station Wear Boot With Composite Toe**

Reinforced Pull Straps  
 Light and flexible cement construction  
 ASTM F2413 protective toe classification  
 ASTM F2413 electrical hazard standard  
 Oil- and slip-resistant rubber outsole  
 Fiberglass shank  
 Unisex styles come in men's sizes  
 6 Inches in height  
 Comfort Track footbed  
 Rocky Rebound EVA Midsole for Shock Absorption  
 Full Grain Leather  
 Twin gore panels with larger opening for easier on/off



### **Rocky Cadet 6" Black Side Zip Public Service Boot**

Light and flexible cement construction  
 Oil and slip-resistant outsole  
 Rocky® Air-Port® cushion footbed  
 Fiberglass shank  
 Heavy-duty YKK side zipper with VELCRO®; closure  
 6 Inches in height  
 Action leather upper  
 High gloss professional dress toe







### LXFB60



Premium Turnout Gear Bag; Luggage Style w/ Wheels, Rigid Sides, Reinforced Bottom & Retractable Handle

Available colors: Black, Red and Pink

#LXFB60WD-Color

### LXFB10



- Dual zippers on all pockets with nylon pull tabs, zip the full length of the bag

- Separate helmet compartment will hold traditional style fire helmet



- Two personal/accessory pockets

Available in Black and Red

#LXFB10-(color)

### LXFB10DC



- Made with heavy-duty nylon
- Deep woods camo to match your hunting gear
- Separate compartments for gear, helmet, mask, gloves and jumpsuit or change of clothes
- Water-resistant bottom and lower edge protects against wear and tear
- Includes padded adjustable shoulder strap with reflective stitching and FIRE FIGHTER weave

### LXFGS



Value Nylon Webbing Strap for Structural Fire Gloves; Velcro w/ Snap Hook Attachment  
Colors: Red, Black, and Pink

#LXFGS-color



### LXFGS-HD

Premium Heavy-Duty Universal Glove Clip – Attaches to Cuff of Any Glove – Black w/ Triple Trim Reflective & Alligator Clip  
#LXFGS-HD





### LXMB50-SKD



This kit includes the following supplies: Deluxe Kit, Tweezers, Kelly Hemostats, Trauma Sheers, Bandage Sheers, Penlight, Am Ampules, Band-Aids (100), 4" x 4" Gauze Pads (50), 2" Roll Gauze (2), 3" Roll Gauze (2), 4" Roll Gauze (2), 2" Self-Adherent Bandage (2), 2" Elastic Ace Bandage (2), 5" x 7" ABD Pad (2), 8" x 10" ABD Pad (2), 1" Roll Cloth Tape, 2" Roll Cloth Tape, Iodine Wipes (10), Isopropyl Alcohol Wipes (10), Triple Antibiotic Ointment 1/2 oz, Instant Cold Packs (2), Eye Pads (2), Triangle Bandage (2), Eye Wash, Exam Gloves (4), Universal SAM Finger Splint, Glucose, Sting Pads (10), Adult BP Cuff, Sprague Steth, Barrier Mask, OPA Kit, (6) 10" x 30" Trauma Dressing, NC Tubing (2), NRB Mask (2), BVM Bag, 4-1/4" x 36" Roll Splint, 4" x 4" Occl Seal, Adjustable C-Collar, 2oz Burn Spray, 2oz First Aid Spray, Emergency Blanket, Quick Stop Hemostatic Blood Stop Spray, Buckle Tournqt, Iodine Wipes (10), (4) Color Coded Removable Pouches w/ Clear Vinyl Window & Zipper – all arranged nicely and packaged together in a box for you to customize to your liking. Limited lifetime warranty from Lightning X Products.

Colors Blue Red Orange  
LXMB50-SKD-Color

### LXMB30-SKC-Color



THE KIT: This kit includes the following supplies: Deluxe Kit, Tweezers, Kelly Hemostats, Trauma Sheers, Bandage Sheers, Penlight, Am Ampules, Band-Aids (100), 4" x 4" Gauze Pads (50), 2" Roll Gauze (2), 3" Roll Gauze (2), 4" Roll Gauze (2), 2" Self-Adherent Bandage (2), 2" Elastic Ace Bandage (2), 5" x 7" ABD Pad (2), 8" x 10" ABD Pad (2), 1" Roll Cloth Tape, 2" Roll Cloth Tape, Iodine Wipes (10), Isopropyl Alcohol Wipes (10), Triple Antibiotic Ointment 1/2 oz, Instant Cold Packs (2), Eye Pads (2), Triangle Bandage (2), Eye Wash, Exam Gloves (4), Universal SAM Finger Splint, Glucose, Sting Pads (10), Adult BP Cuff, Sprague Steth, Barrier Mask, OPA Kit, (6) 10" x 30" Trauma Dressing, NCTubing (2), NRB Mask (2), BVM Bag, 4-1/4" x 36" Roll Splint, 4" x 4" Occl Seal, Adjustable C-Collar, 2oz Burn Spray, 2oz First Aid Spray, Emergency Blanket, Quick Stop Hemostatic Blood Stop Spray, Buckle Tournqt, Iodine Wipes (10), all arranged nicely and packaged together in a box for you to customize to your liking. Limited lifetime warranty from Lightning X Products.

COLOR: Black, Navy Blue, Orange, Purple, Red

#LXMB30-SKC-color

### LXMB20-SKB



Fill kit included with the following supplies: Standard Kit: Tweezers, Kelly Hemostats, Trauma Sheers, Bandage Sheers, Penlight, Ammonia Ampules (10), Band-Aids (100), 4" x 4" Gauze Pads (50), 2" Roll Gauze (2), 3" Roll Gauze (2), 4" Roll Gauze (2), 2" Self-Adherent Bandage (2), 2" Elastic Ace Bandage (2), 5" x 7" ABD Pad (2), 8" x 10" ABD Pad (2), 1" Roll Cloth Tape, Iodine Wipes (10), Isopropyl Alcohol Wipes (10), Triple Antibiotic Ointment 1/2 oz, Instant Cold Packs (2), Eye Pads (2), Triangle Bandage (2), Eye Wash Irrigation Solution, Exam Gloves (4), Universal SAM Finger Splint, Oral Glucose Gel, Sting & Bite Relief Pads (9), Adult Blood Pressure Cuff w/ Case, Sprague Stethoscope, CPR Mask, Oropharyngeal Airway Kit (6), Iodine Wipes (10), Sting Relief Swabs (10)

#LXMB20-SKB- Color

Colors: Black, Fluorescent Yellow, Navy Blue, Orange, Pink, Purple, Red






# LIFEVAC



**LifeVac is intended to be used after all choking rescue protocols have failed and is currently implemented in fire departments, police departments, and EMS agencies across the US and internationally. Current BLS protocols all revolve around generating pressure underneath the object obstructing the airway. What differentiates LifeVac is that it implements noninvasive suction from the mouth of the choking victim.**

**LifeVac uses a patented design that involves a one-way valve system which means that when applied, LifeVac vents air OUTSIDE the unit and does not push air into the victim. The rescue device simply uses a short burst of suction, with minimal air volume, to mimic a forceful cough. When the handle of the plunger is pushed down, air escapes out the sides of the valve and not into the victim's airway; when the plunger handle is pulled back, it generates negative pressure, and suctions out the lodged material.**

**Suction equipment is a vital part of emergency care and many states have already built this into their rescue protocols. Supported by a growing number of peer-reviewed medical studies and expert opinions that validate LifeVac as a safe and effective device for airway clearance, we strongly believe that LifeVac is an essential piece of gear that can assist lay people and first responders in choking-related emergencies.**







# defibtech



## ***ARM XR Automated Chest Compression Device***

Defibtech's ARM XR is an automated chest compression system that helps emergency personnel deliver continuous, high-quality CPR for patients in cardiac arrest. Easy to deploy and use, ARM XR allows first responders to transition from manual to mechanical CPR in seconds, and maintain continuous compressions over long durations and during transport.

### **With ARM XR, EMS Teams can:**

- **Provide high-quality CPR with appropriate compression depth and per minute rate**
- **Run a cardiac arrest code with smaller teams & reduce fatigue/stress**
- **Treat large & small patients with automated compression depth adjustment**
- **Extend budgets with our cost-effective, rugged mechanical CPR system**

### **Kit comes with the following:**

ARM, compression module, compression cup, battery, patient back board, chest strap, wrist straps and carry case. **#RCF-A2000EN**

### **Accessories:**

Dual Battery Charging Cradle **#RCF-RBC-U1000NA**

Battery Pack **#RCF-RBP-G1000EN**

Power Module/Charger **#RPM-G1000NA**





# defibtech




## The AED that Started it All Lifeline AED Semi-Automatic Defibrillator

Winner of several design and innovation awards, the Lifeline AED is simple and intuitive with a fully integrated design which means there are no lids, no moving parts, or exterior cases that could confuse or delay a rescuer in an emergency. Lifeline AEDs are built to the demanding standards of professional emergency personnel, and meet U.S. Military “drop and shock” specifications. All mission critical features necessary to provide the most advanced treatment for sudden cardiac arrest are included.

With speed and ease, the Lifeline AED leads the user through the rescue:

- Two-button operation
- Built-in metronome produces a steady beat during CPR
- Dust protected, spray and water resistant (rated IP54)
- Frequent and automatic self-tests: Daily, weekly, monthly, and quarterly
- Visual and audible low battery warning

#DCF-100 with Extras



[www.GreatPlainsFire.com](http://www.GreatPlainsFire.com)





# defibtech



## You Have Never Seen an AED like This

### The Lifeline VIEW is the First AED with Full-motion Color Video

With your own eyes, see what you are supposed to do as step-by-step videos, with easily understandable voice instructions and text prompts, walk you through a rescue.

The interactive display coaches the user through defibrillation, like applying the pads, and performing CPR. Chaos, noise, and confusion are part of any SCA situation. The Lifeline VIEW makes it easy for virtually anyone to respond confidently and appropriately during an emergency.

Videos with corresponding text and voice instructions aid in comprehension

- Counts beats during the CPR period
- Frequent and automatic self-tests: Daily, weekly, monthly, and quarterly
- Non-escalating Biphasic Waveform: Adult: 150 Joules; Child / Infant: 50 Joules
- Durable: 1.2 meter drop tested
- Dust protected, spray and water resistant (rated IP55)
- Lightweight: Less than 3 lbs.

#DCF-A2310EN W/Extras

[www.GreatPlainsFire.com](http://www.GreatPlainsFire.com)







**Nederman**

## Fire & Emergency Vehicles

Complete Exhaust Removal Solutions

The Clean Air Company

Since 1944